



# STATE OF THE ART HANGING SYSTEMS

PRODUCT CATALOGUE

EN

# ▶ ABOUT ARTITEQ

Based in Tilburg (NL), Artiteq is a specialist in hanging concepts, and has been developing flexible hanging systems for pictures and other wall decorations since 1995. Since decorating walls involves more than just hanging pictures, Artiteq combines this philosophy with its product specialism and has developed an extensive range of products in recent years. In addition to the picture hanging systems, Artiteq also markets display systems and solo hanging systems (separate from a rail system). Thanks in part to in-house expertise, and combined with its own product development and quality control departments, Artiteq also offers successful customised solutions for a variety of hanging needs. Flexibility and a continuous drive to keep innovating are Artiteq's strengths. In designing and producing our hanging systems, we aim to offer the best quality, whilst always placing a high priority on the environment and sustainability. Artiteq hanging systems are sold worldwide in over 60 countries.




Artiteq has its own Research & Development department and generally develops all products with a Safety Factor of 3. In terms of products with higher safety risks (f.e. products which hang in open spaces not against walls) or when specific materials are used, this safety factor can even be 5 or higher. The Quality Control department checks safety in relation to the weight that can be hung from the products, but also checks the appearance and functionality of the products. In terms of the Micro Grip hook, Artiteq applies the quality assurance of TÜV, a certification that will be extended to include more Artiteq products in the near future. Based on the foregoing, Artiteq provides a 10-year\* guarantee on all of its products (with the exception of Combi Rail Pro Light: a 2-year guarantee applies to electrical components).


## PRODUCT WARRANTY

▶ **SAFETY**

Artiteq has its own Research & Development department and generally develops all products with a Safety Factor of 3. In terms of products with higher safety risks (f.e. products which hang in open spaces not against walls) or when specific materials are used, this safety factor can even be 5 or higher.



example of Micro Grip test results



▶ **QUALITY CONTROL**

Artiteq has its own Quality Control department. Not only does this department check safety in relation to the weight that can be hung from the products, but also checks the appearance and functionality of the products.

▶ **TÜV**


In terms of the Micro Grip hook, Artiteq applies the quality assurance of TÜV, a certification that will be extended to include more Artiteq products in the near future.

▶ **GUARANTEE**

Based on the foregoing, Artiteq provides a 10-year\* guarantee on all of its products. \*\*with the exception of Combi Rail Pro Light (a 2-year guarantee applies to electrical components).

▶ **CE**

In terms of the Combi Rail Pro Light picture hanging system (a product with electrical components), Artiteq declares that this product fulfils the applicable guidelines in accordance with standards EN 60598-1 / EN 60598-2-1 / EN 60570 / EN 55015 and EN 61547. No CE standardisation exists for all other Artiteq products. The Artiteq integrated picture hanging systems do not form part of a building's construction. It is important to emphasise that the systems are not intended to carry the construction of ceilings. The profiles are designed solely for hanging products (i.e. wall decorations, such as paintings, photo frames, etc.). The profiles may not be used for (are not designed for) absorbing additional forces.




- ✓ MARKETING & SALES
- ✓ PRODUCT SPECIALIST
- ✓ IN-HOUSE RESEARCH & DEVELOPMENT
- ✓ IN-HOUSE QUALITY CONTROL





# PRODUCT CATEGORIES



PICTURE HANGING SYSTEMS	
WALL	06
HANGING WIRES AND HOOKS (WALL)	14
FASTENER MATERIAL	25
CEILING	26
INTEGRATED	30
HANGING WIRES AND HOOKS (CEILING & INTEGRATED)	40
SOLO	46
PRESENTATION SYSTEMS	
PRESENTATION SYSTEMS	52
SIGNING	75
OTHER	80
ALL-IN-ONE KITS	86
SALE SUPPORT	88



# ► PICTURE HANGING SYSTEMS

## WALL

FLEXIBLE  
SAFE  
STRONG



# CONTOUR RAIL



Compact and attractive hanging system

“Less rail, more art”. Contour Rail gets the job done in spite of its minimal dimensions, and has an attractive, sleek design. Hanging pictures, or hanging and moving framed photos is easy thanks to the Contour Rail. Using the clips, the picture rails may be mounted to the wall (minimum distance from the ceiling: 15 mm). In addition to the aluminium version of the rail, the available model in white may be painted in any colour. The refined style of the 1 mm Twister hanging wires with Micro Grip 1 mm suspension hook make them a perfect match for the compact shape of this hanging system.

RAIL		
	CONTOUR RAIL WHITE PRIMER RAL 9016	CONTOUR RAIL ALU
	P/1*	P/1*
ARTICLE NO. 200 cm	30.11201	30.11200
ARTICLE NO. 300 cm	30.11301	30.11300
FASTENER KIT WHITE		FASTENER KIT GREY
ARTICLE NO. 200 cm	30.31310	30.31320
ARTICLE NO. 300 cm	30.31330	30.31340



installation movie

CONTENT FASTENER KIT				
			QUANTITY 200 cm	QUANTITY 300 cm
	30.31110	CLICK&CONNECT	6x	9x
	9.4929	SCREW	6x	9x
	9.4931	PLUG	6x	9x
	30.31210 (WHITE) /30.31220 (GREY)	END CAP	2x	2x
	2388	INSTRUCTION	1x	1x

ALL MOUNTING MATERIAL MAY BE ORDERED SEPARATELY. SEE OVERVIEW ON PAGE 25  
\* P/1 PACKAGED BY THE PIECE IN FOIL

— 12,5 mm —

20

KG/M

10

YEAR WARRANTY

3 CLIPS / M

# CONTOUR RAIL GLUED



Contour Rail glued - hanging without drilling

Looking for a compact hanging rail that ‘disappears’ in a room? Contour Rail offers the solution: the rail can also be mounted to the ceiling using glue. Thanks to the special design, the glue may be applied in and on the profile in the desired manner. When the Contour Rail is glued and painted in the same colour as the wall, it becomes inconspicuous while still offering all the advantages of a flexible hanging system: the ability to hang and move pictures without damaging the walls.

RAIL		
	CONTOUR RAIL WHITE PRIMER RAL 9016	CONTOUR RAIL ALU
	P/1*	P/1*
ARTICLE NO. 200 cm	30.11201	30.11200
ARTICLE NO. 300 cm	30.11301	30.11300

END CAP		
COLOUR	WHITE	GREY
ARTICLE NO.	30.31210	30.31220

FASTENER MATERIAL	
CONTOUR RAIL GLUE SET (FOR FIXATION OF 4,5-5m)	
3M SURFACE CLEANERS & GLUE PARABOND 600 WHITE 290 ml	
ARTICLE NO.	30.31180

\* P/1 PACKAGED BY THE PIECE IN FOIL

— 12,5 mm —

10

KG/M

10

YEAR WARRANTY

1mm

Ø 2 à 3mm

PARABOND 600

# CLICK RAIL





30

KG/M

10

YEAR WARRANTY






CLICK



CONNECT

3 CLIPS / M

The Click Rail is a flexible picture hanging system that you mount to the wall. Using the Click&Connect system, mounting the rail system is fast and easy. The Click Rail may be installed flush against the ceiling and may also be repainted, for example in the same colour as the wall or ceiling. This helps the picture hanging system ‘blend in’ with the wall or ceiling, making it nearly invisible. The hanging rail’s appearance makes it easy to integrate in any room or interior. You always have flexibility in hanging posters, pictures or photo frames thanks to the hanging wires with hooks that you can click into any desired location on the rail system.

RAIL						
						
CLICK RAIL - WHITE RAL 9010		CLICK RAIL - WHITE/PRIMER RAL 9016		CLICK RAIL - ALU BRUSHED		
P/1*		P/20*		P/1*		P/20*
ARTICLE NO. 150 cm						9.4360
ARTICLE NO. 200 cm	9.4303	9.4353	9.4348	9.4350	9.4341	9.4340
ARTICLE NO. 300 cm	9.4304	9.4354	9.4349	9.4351	9.4343	9.4342
ARTICLE NO. 600 cm	9.4372	9.4346				9.4339
FASTENER KIT WHITE			FASTENER KIT WHITE		FASTENER KIT GREY	
ARTICLE NO. 200 cm		4065		4065		4064
ARTICLE NO. 300 cm		4061		4061		4060



installation movie

## CONTENT FASTENER KIT




		QUANTITY 200 cm	QUANTITY 300 cm
9.4113	CLICK&CONNECT	6x	9x
9.4929	SCREW	6x	9x
9.4931	PLUG	6x	9x
9.4105 (WHITE) / 9.4104 (GREY)	END CAP	2x	2x
9.4107 (WHITE) / 9.4108 (GREY)	CORNER CONNECTOR	1x	1x
2386	INSTRUCTION	1x	1x

ALL MOUNTING MATERIAL MAY BE ORDERED SEPERATELY. SEE OVERVIEW ON PAGE 25

\* P/1 PACKAGED BY THE PIECE IN FOIL / P/20 PACKAGED PER 20 IN FOIL

# CLICK RAIL PRO






50


KG/M

10

YEAR WARRANTY



CLICK



CONNECT

3 CLIPS / M

The Click Rail Pro hanging system is the professional, heavy-duty version of the Click Rail. The rail is quick and easy to instal thanks to the Click&Connect clips, and can be mounted on the wall, flush against the ceiling. It is possible to mount the rail in such a way that the sliders for the hanging wire may be subtly hidden behind the rail. The Click Rail Pro picture hanging system has a maximum load capacity of 50 kg/m. Hanging heavy pictures and wall decorations is no problem with the Click Rail Pro. Click Rail Pro is a strong picture hanging system that you can trust when it comes to hanging your art on the wall. The hanging wires may be moved and clicked into the rail again at any desired location. This assures you of flexibility in what you display on your walls. Moving or replacing a work of art is fast and easy, and there’s no risk of damaging the walls.

RAIL		
CLICK RAIL PRO - WHITE/PRIMER RAL 9016		CLICK RAIL - ALU BRUSHED
ARTICLE NO. 200 cm	05.05420	05.05320
ARTICLE NO. 300 cm	05.05430	05.05330
FASTENER KIT WHITE		FASTENER KIT GREY
ARTICLE NO. 200 cm	4067	4066
ARTICLE NO. 300 cm	4074	4073



installation movie

## CONTENT FASTENER KIT




		QUANTITY 200 cm	QUANTITY 300 cm
9.4124	CLICK&CONNECT	6x	9x
9.4929	SCREW	6x	9x
9.4931	PLUG	6x	9x
9.4120 (WHITE) / 9.4121 (GREY)	END CAP	2x	2x
9.4122 (WHITE) / 9.4123 (GREY)	CONNECTOR	1x	1x
2387	INSTRUCTION	1x	1x


ALL MOUNTING MATERIAL MAY BE ORDERED SEPERATELY. SEE OVERVIEW ON PAGE 25

# COMBI RAIL PRO LIGHT






**50**  
KG/M



**2**  
YEAR  
WARRANTY







CONNECT

3 CLIPS / M



RAIL/PARTS

						
COMBI RAIL PRO LIGHT RAL 9010 (INCLUDES FASTENERS AND END CAPS)	COMBI RAIL PRO LIGHT CONNECTOR SET (BOTH STRAIGHT AND CORNER CONNECTOR)	CONNECTION BLOCK	TRAFO HALOGEN LED 220/12 INCLUDES CONNECTION BLOCK	60 W	100 W	300 W
ARTICLE NO. 200 cm	40.11200	40.31300	40.31500	40.32060	40.32100	40.32300
ARTICLE NO. 300 cm	40.11300	40.31300	40.31500	40.32060	40.32100	40.32300

LAMPS

					
FITTING			MASTER LED PHILIPS LV 3000K WARM WHITE		
20 cm	50 cm	70 cm	6,5 W	8 W	
ARTICLE NO.	40.21200	40.21500	40.21700	40.41306	40.41308

COMBI RAIL PRO LIGHT ALL-IN-ONE LED 2m/4m/6m/8m

						
COMBI RAIL PRO LIGHT WHITE RAL 9010 (INCLUDES FASTENERS AND END CAPS)	FITTING 50 cm	MASTER LED PHILIPS 6,5W	CONNECTOR SET + TRAFO/CONNECTION BLOCK	MICRO GRIP 2 mm + TWISTER 2 mm PERLÖN	max. 20 kg	
ARTICLE NO.	40.11200	40.21500	40.41306	40.31300/40.32060	30.42200	
40.51350 (2m)	1x	1x	1x	1x (40.32060)	1x	
40.51360 (4m)	2x	2x	2x	1x/1x	2x	
40.51370 (6m)	3x	3x	3x	2x/1x	3x	
40.51380 (8m)	4x	4x	4x	3x/1x	4x	

FLEXIBLE  
SAFE  
HIGH END



Flexible picture hanging and lighting system in one

Combi Rail Pro Light combines picture hanging and lighting in one system. The rail's attractive, neutral design enables it to be integrated in almost every style of interior. Use the adjustable fittings to provide optimum and high-quality lighting for pictures and other wall decorations on your wall. You can position the Twister suspension wires anywhere along the rail, making it easy to change and move artwork and pictures. This flexible and user-friendly picture hanging system guarantees that the walls in your room will stay undamaged.

Easy installation in three steps

In 3 quick steps you can fit the rail and connect the power supply without requiring special tools and techniques. Step 1 comprises fitting the clips (Click&Connect) to the wall and clicking the rail to the clips. The rail immediately fits firmly in place after which you can carry out Step 2; connecting the power supply. Step 3 involves installing the picture lighting fittings: with just one quarter turn you can position these where you want on the rail. The fittings are suitable for LED and halogen lamps and are available in lengths of 20 cm, 50 cm and 70 cm. You can adjust the high-temperature resistant luminaire cover, manufactured from high-quality plastic, to direct the lighting onto your picture. The conductive and hanging functions for the hanging rail with picture lighting are separated. All Combi Rail Pro Light components are approved by reputable, independent certification authorities.

# HANGING WIRES AND HOOKS

1

## SIMPLE-SAFE-STRONG

Artiteq developed the Twister glider system for all its hanging rails. Twister offers the most logical and user-friendly way to hook the hanging wire into the rail: insert, twist, click and you're done. Since the Twister may be clicked anywhere on the rail, you can hang a picture anywhere you like on the wall. You have the option of using Twister in perlon, steel wire or rods for all the Artiteq hanging systems. The perlon and steel hanging wires with the Twister mechanism are available in 1 or 2 mm thicknesses, and in lengths ranging from 100 to 500 cm.



Twister is a European Registered Community Design.

MAX.  
20 KG

2

**TWISTER™** CLIQ2FIX<sub>perlon</sub>



## EXTRA EASE-OF-USE

Thanks to the development of the Twister Cliq2Fix perlon system, perlon cord now has an additional functionality when it comes to hanging pictures. The hanging wire equipped with the Twister Cliq2Fix system may be inserted in the rail, eliminating the risk of the perlon cord popping loose from the rail as a result of its recoiling effect. This makes it extra safe, and easy to slide into the rail. In other words, extra ease-of-use.

MAX.  
20 KG

3

## SLIDE INTO SIDE

Artiteq developed the Solid Slider system which attaches the hanging wire with glider via the side of the rail. This system is available for 2 mm perlon and 2 mm steel wire. The hanging wire may be freely slid into the hanging rail, yet may not be removed from the rail as easily. Hanging wires with the Solid Slider

mechanism are available in lengths of 100, 150, 200, 250, 300 en 500 cm. A slanted stop system is available for slanted walls. This system makes it possible to use a flexible picture hanging system even with slanted walls, for example in a staircase.

MAX.  
20 KG



## MICRO GRIP



PROVEN TECHNOLOGY

REDUCED TO THE ESSENCE

NEW DESIGN

- LIGHTWEIGHT
- STRONG (20 kg)
- ERGONOMIC



The **Micro Grip** represents the newest generation of hooks. A high-quality plastic reinforced with fibreglass was chosen for this hook, leading to a 70% reduction in the use of materials compared with previous generations of hooks. In addition to the ecological advantages, the hook is extremely lightweight as a result, and very easy to use. The **Micro Grip** technology has been developed and patented by Artiteq. To guarantee the quality of the Micro Grip hooks, Artiteq has developed quality assurance procedures together with TÜV Nederland. The execution is under supervision of TÜV Nederland.



MICRO GRIP 1 mm



MICRO GRIP 2 mm



MICRO GRIP LOCK 2 mm

1



**TWISTER™**

1 mm

30.21150	TWISTER	1 mm	PERLON	150 cm
30.21200	TWISTER	1 mm	PERLON	200 cm
30.21300	TWISTER	1 mm	PERLON	300 cm
30.22150	TWISTER	1 mm	STEEL	150 cm
30.22200	TWISTER	1 mm	STEEL	200 cm
30.22300	TWISTER	1 mm	STEEL	300 cm
09.63150	TWISTER	1 mm	STEEL BLACK	150 cm
09.63200	TWISTER	1 mm	STEEL BLACK	200 cm
09.63300	TWISTER	1 mm	STEEL BLACK	300 cm



MICRO GRIP 1 mm  
30.41100 | 10 kg (STEEL) 5 kg (PERLON)

2 mm

TWISTER 2 mm



**TWISTER™**

09.23100	TWISTER	2 mm	PERLON	100 cm
09.23150	TWISTER	2 mm	PERLON	150 cm
09.23200	TWISTER	2 mm	PERLON	200 cm
09.23250	TWISTER	2 mm	PERLON	250 cm
09.23300	TWISTER	2 mm	PERLON	300 cm
09.23500	TWISTER	2 mm	PERLON	500 cm
09.33100	TWISTER	2 mm	STEEL	100 cm
09.33150	TWISTER	2 mm	STEEL	150 cm
09.33200	TWISTER	2 mm	STEEL	200 cm
09.33250	TWISTER	2 mm	STEEL	250 cm
09.33300	TWISTER	2 mm	STEEL	300 cm
09.33500	TWISTER	2 mm	STEEL	500 cm
9.4196	TWISTER	2 mm	ROD WHITE	100 cm
9.4198	TWISTER	2 mm	ROD WHITE	200 cm



MICRO GRIP 2 mm  
30.41200 | 20 kg



MICRO GRIP LOCK 2 mm  
30.41250 | 20 kg

2



TWISTER CLIQ2FIX PERLON

2 mm

09.13100	TWISTER CLIQ2FIX	2 mm	PERLON	100 cm
09.13150	TWISTER CLIQ2FIX	2 mm	PERLON	150 cm
09.13200	TWISTER CLIQ2FIX	2 mm	PERLON	200 cm
09.13250	TWISTER CLIQ2FIX	2 mm	PERLON	250 cm
09.13300	TWISTER CLIQ2FIX	2 mm	PERLON	300 cm



MICRO GRIP 2 mm  
30.41200 | 20 kg



MICRO GRIP LOCK 2 mm  
30.41250 | 20 kg

3



SOLID SLIDER

2 mm


08.23100	SOLID SLIDER	2 mm	PERLON	100 cm
08.23150	SOLID SLIDER	2 mm	PERLON	150 cm
08.23200	SOLID SLIDER	2 mm	PERLON	200 cm
08.23250	SOLID SLIDER	2 mm	PERLON	250 cm
08.23300	SOLID SLIDER	2 mm	PERLON	300 cm
08.23500	SOLID SLIDER	2 mm	PERLON	500 cm
08.43100	SOLID SLIDER	2 mm	STEEL	100 cm
08.43150	SOLID SLIDER	2 mm	STEEL	150 cm
08.43200	SOLID SLIDER	2 mm	STEEL	200 cm
08.43250	SOLID SLIDER	2 mm	STEEL	250 cm
08.43300	SOLID SLIDER	2 mm	STEEL	300 cm
08.43500	SOLID SLIDER	2 mm	STEEL	500 cm





















MICRO GRIP 2 mm  
30.41200 | 20 kg



MICRO GRIP LOCK 2 mm  
30.41250 | 20 kg



# HANGING WIRES AND HOOKS

FOR USE WITH: CONTOUR RAIL, CLICK RAIL, CLICK RAIL PRO, DECO RAIL AND COMBI RAIL PRO LIGHT										
	30.41200 20 kg	30.41250 20 kg	30.41100 10/5 kg	9.4262 15 kg	9.4261 15 kg	9.4208 10 kg	9.4219 7 kg	9.4209 7 kg	9.4207 5 kg	9.4205 4 kg
AUTO GRIP		AUTO GRIP	AUTO GRIP	AUTO GRIP	AUTO GRIP	MANUAL	MANUAL	MANUAL	MANUAL	MANUAL
LOCK			LOCK							
 TWISTER 1 mm PERLON 150 / 200 / 300 cm			✓							
 TWISTER 1 mm STEELWIRE 150 / 200 / 300 cm			✓							
 TWISTER 2 mm PERLON 100 / 150 / 200 250 / 300 / 500 cm	✓	✓		✓	✓	✓	✓	✓	✓	✓
 TWISTER 2 mm STEELWIRE 100 / 150 / 200 250 / 300 / 500 cm	✓	✓		✓	✓					
 TWISTER 2 mm ROD WHITE 100 / 200 cm	✓	✓			✓				✓	
 TWISTER CLIQ2FIX PERLON 2 mm 100 / 150 / 200 250 / 300 cm	✓	✓		✓	✓	✓	✓	✓	✓	✓
 SOLID SLIDER PERLON 2 mm 100 / 150 / 200 250 / 300 / 500 cm to be inserted from the side of the rail	✓	✓		✓	✓	✓	✓	✓	✓	✓
 SOLID SLIDER 2 mm STEELWIRE 100 / 150 / 200 250 / 300 / 500 cm to be inserted from the side of the rail	✓	✓		✓	✓					

## HANGING SETS 1 mm

						
TWISTER 1 mm STEELWIRE 150 cm + MICRO GRIP 1 mm (10 kg)	TWISTER 1 mm PERLON 150 cm + MICRO GRIP 1 mm (5 kg)	TWISTER 2 mm PERLON 150 cm + MICRO GRIP 2 mm (20 kg)	TWISTER 2 mm PERLON 150 cm + HOOK 9.4205 (4 kg)	TWISTER 2 mm PERLON 150 cm + HOOK 9.4209 (7 kg)	TWISTER 2 mm PERLON 150 cm + HOOK 9.4261 (15 kg)	TWISTER 2 mm PERLON 150 cm + HOOK 9.4207 (5 kg)
HANGING SET	HANGING SET	HANGING SET	HANGING SET	HANGING SET	HANGING SET	HANGING SET
30.42150	30.42100	30.42200	9.6670	9.6672	9.6674	9.6671


## HANGING SETS 2 mm


## STOPPER SET SLANTING WALLS

				
SLIDER + PERLON 2 mm 150 cm + HOOK 9.4205 (4 kg)	SLIDER + PERLON 2 mm 150 cm + HOOK 9.4209 (7 kg)	SLIDER + PERLON 2 mm 150 cm + HOOK 9.4207 (5 kg)	SOLID SLIDER PERLONWIRE 2 mm 150 cm + HOOK 9.4205 (4 kg) + STOPPER SLANTING WALLS	STOPPER SLANTING WALLS
HANGING SET	HANGING SET	HANGING SET	HANGING SET	
9.9004	9.4402	9.4400	9.6645	9.4235

# HANGING WIRES AND HOOKS

## TWISTER HOOK







for hanging light objects  
15 x 3,5 x 35 mm  
MAX. 1 kg

ARTICLE NO.	9.4510
-------------	--------

COMPATIBLE WITH ALL WALL SYSTEMS

## LOOP MAKER






for hanging with a loop  
15 x 3,5 x 35 mm  
MAX. 1 kg

ARTICLE NO.	9.4218
-------------	--------

COMPATIBLE WITH ALL PERLONWIRES 2 mm  
SEE PAGE 15

# HANGING WIRES AND HOOKS


## PICTURE MOUSE






	PICTURE MOUSE WHITE	PICTURE MOUSE STEEL
	150 cm	150 cm
ARTICLE NO.	7805.014	7805.016

COMPATIBLE WITH ALL WALL SYSTEMS

## MOUSE MAGNETS





		EXTRA 
MOUSE MAGNETS WHITE	MOUSE MAGNETS COLOUR	PICTURE CLIP TRANSPARENT
ARTICLE NO.	7430.020	7430.010
		7805.007



# CLASSIC RAIL






20

KG/M

10

YEAR WARRANTY



4 SCREWS / M

### Change pictures quickly and easily with Classic Rail

The Classic Rail is a wall rail that is often used in galleries and at exhibitions. This hanging system has an open J-shape which, with the aid of rods and sliding springs, makes it easy to hang pictures and other wall decorations. If you are looking for a discreet alternative to a rod, it is possible to use a cylinder hook with a transparent perlon cord in the rail. Depending on the weight of the picture or wall decoration, various hooks may be slid onto the perlon hanging wire.

### A hanging rail for a contemporary interior

The Classic Rail is a J-shaped, open rail system with a modern look. This picture hanging system is available in white or aluminium. The rods that may be placed in the rail vary in thickness from 2 to 3 mm, and have a maximum load capacity of 20 kg. Available in white or steel, the rods use various sliding springs.


## RAIL

						
	CLASSIC RAIL - WHITE RAL 9010		CLASSIC RAIL - WHITE PRIMER RAL 9016		CLASSIC RAIL - ALU	
	P/1*	P/20*	P/1*	P/20*	P/1*	P/20*
ARTICLE NO. 200 cm	9.4307	9.4357	-	9.4390	9.4305	-
ARTICLE NO. 300 cm	9.4308	9.4358	-	9.4391	9.4306	-
	FASTENER KIT WHITE		FASTENER KIT WHITE		FASTENER KIT GREY	
ARTICLE NO. 200 cm	4072		4072		4071	
ARTICLE NO. 300 cm	4079		4079		4078	



installation  
movie

## CONTENT FASTENER KIT

			QUANTITY 200 cm	QUANTITY 300 cm
	9.4901 (WHITE) / 9.4902 (GREY)	SCREW	8x	12x
	9.4930	PLUG	8x	12x
	2389	INSTRUCTION	1x	1x
ALL MOUNTING MATERIAL MAY BE ORDERED SEPERATELY. SEE OVERVIEW ON PAGE 25				
* P/1 PACKAGED BY THE PIECE IN FOIL / P/20 PACKAGED PER 20 IN FOIL				

## RODS



			
	ROD WHITE STEEL 2 mm MAX. 20 kg	ROD WHITE STEEL 3 mm MAX. 20 kg	ROD STEEL 3 mm MAX. 20 kg
ARTICLE NO. 100 cm	9.4216*	9.4161	9.4151
ARTICLE NO. 150 cm	-	9.4162	9.4152
ARTICLE NO. 200 cm	9.4217*	9.4163	9.4153
ARTICLE NO. 300 cm	-	9.4165	9.4154

\*COMPATIBLE WITH HOOKS 9.4207, 9.4261, 3041200/50 - SEE OVERVIEW ON PAGE 16

## SLIDING SPRINGS


	
SLIDING SPRING STAINLESS STEEL 3 mm MAX. 20 kg	SLIDING SPRING STAINLESS STEEL + LIP 3 mm MAX. 10 kg
9.4170	9.4171

## CYLINDER HOOKS

	
CYLINDER HOOK WHITE MAX. 15 kg	CYLINDER HOOK ALU MAX. 15 kg
9.4237	9.4244

\* FOR USE WITH HANGING WIRE PERLON + SLIDER

## HANGING WIRES

	
PERLON + SLIDER 2 mm MAX. 15 kg	
ARTICLE NO. 100 cm	9.4424
ARTICLE NO. 150 cm	9.4425
ARTICLE NO. 200 cm	9.4426
ARTICLE NO. 250 cm	9.4427
ARTICLE NO. 300 cm	9.4428



MICRO GRIP 2 mm  
30.41200 | 20 kg



MICRO GRIP LOCK 2 mm  
30.41250 | 20 kg

FOR MORE PICTURE HOOKS,  
SEE OVERVIEW ON PAGE 16

# CLASSIC RAIL+



The Classic Rail+ is a picture hanging system for walls that has been specially developed for hanging heavier pictures and wall decorations (up to 100 kg). This hanging system is often used in galleries, at exhibitions and in museums. The hanging rail has an open, J-shaped design that makes it possible to hang a variety of rods equipped with rod hooks. This makes it extremely easy to hang or change art on the wall. The Classic Rail+ is available in white and aluminium. A variety of aluminium or steel rods may be used for decorations weighing up to a maximum of 100 kg.

Secure picture hanging system

The Classic Rail+ makes it possible to hang pictures and wall decorations in a secure manner in rooms where this is required. Thanks to a blocking device, the rod is blocked in the rail and the picture enjoys extra protection when special anti-theft hooks are used on the rod itself.

RAIL			
			
CLASSIC RAIL+ - WHITE RAL 9010		CLASSIC RAIL+ - ALU ANOD.	
P/1		P/1	
ARTICLE NO. 200 cm	9.4318	9.4320	
ARTICLE NO. 300 cm	9.4319	9.4321	
FASTENER KIT WHITE		FASTENER KIT GREY	
ARTICLE NO. 200 cm	4072	4071	
ARTICLE NO. 300 cm	4079	4078	





100

KG/M

10

YEAR WARRANTY










4 SCREWS / M




installation  
movie

CONTENT FASTENER KIT			QUANTITY 200 cm	QUANTITY 300 cm
	9.4901 (WHITE) /9.4902 (GREY)	SCREW	8x	12x
	9.4930	PLUG	8x	12x
	2389	INSTRUCTION	1x	1x
ALL MOUNTING MATERIAL MAY BE ORDERED SEPERATELY. SEE OVERVIEW ON PAGE 25				
* P/1 PACKAGED BY THE PIECE IN FOIL				


RODS 4 X 4 mm ALUMINIUM

			
ROD ALUMINIUM S-BEND WHITE		ROD ALUMINIUM S-BEND ALU	
max. 20 kg		max. 20 kg	
ARTICLE NO. 100 cm	9.4277	9.4271	
ARTICLE NO. 150 cm	9.4278	9.4272	
ARTICLE NO. 200 cm	9.4279	9.4273	
ARTICLE NO. 250 cm	9.4280	9.4274	

ROD  
4 X 4 mm  
STEEL

		ROD U-TOP STEEL WHITE	
max. 100 kg			
ARTICLE NO. 100 cm	9.4220	9.4221	
ARTICLE NO. 150 cm	9.4221	9.4222	
ARTICLE NO. 200 cm	9.4222		





HOOKS

		CLAMPING HOOK 40 kg	
		4 x 4 mm	
ARTICLE NO.	9.4253		
COMPATIBLE WITH ALL 4 X 4 mm RODS			

HOOKS

			
CLAMPING HOOK 40 kg		CLAMPING HOOK 100 kg	
4 x 4 mm		4 x 4 mm	
ARTICLE NO.	9.4253	9.4255	
COMPATIBLE WITH ALL 4 X 4 mm RODS			

ANTI-THEFT DEVICES\*






			
2,5 mm ALLEN		2,5 mm ALLEN	
BLOCKING DEVICE WHITE		CLAMPING HOOK STEEL 60 kg	
4 x 4 mm		CLAMPING HOOK STEEL 100 kg	
ARTICLE NO.		9.4290	
9.4291		9.4256	
9.4293			
ALLEN KEY		ALLEN KEY	
2,5 mm		2,0 mm	
ARTICLE NO.		9.3390	
9.3394			






ONLY FOR USE WITH ROD U-TOP STEEL WHITE 9.4220/9.4221/9.4222









SIMPLE  
SAFE  
STRONG

# FASTENER MATERIAL

						
		CLICK&CONNECT 3 CLIPS/m	CLICK&CONNECT 3-RINGS 3 CLIPS/m	FASTENING CLIP 3 CLIPS/m	CLICK&CONNECT 3 CLIPS/m	CLICK&CONNECT 3 CLIPS/m
		9.4113	9.4119	9.4106	9.4124	30.31110
Contour Rail	p. 08					+
Click Rail	p. 10	+	0	0		
Click Rail Pro	p. 11				+	

											
		END CAP WHITE	END CAP GREY	END CAP WHITE	END CAP GREY	END CAP WHITE	END CAP GREY	CORNER CONNECTOR WHITE	CORNER CONNECTOR GREY	CORNER CONNECTOR WHITE	CORNER CONNECTOR GREY
		30.31210	30.31220	9.4105	9.4104	9.4120	9.4121	9.4107	9.4108	9.4122	9.4123
Contour Rail	+	+									
Click Rail			+	+				+	+		
Click Rail Pro					+	+				+	+

							
		FISCHER UX 5 x 30 R UNIVERSAL 5 mm	PLUG 6 mm	SCREW WHITE 3,5 mm x 45 mm	SCREW ALU 3,5 mm x 45 mm	SCREW 3,5 mm x 45 mm	SCREW METAL STUD 3,5 mm x 38 mm (FOR USE WITH METAL, NO PLUG)
		9.4931	9.4909	9.4901	9.4902	9.4929	9.4928
Contour Rail	p. 08	+	0			+	+
Click Rail	p. 10	+	0			+	+
Click Rail Pro	p. 11	+	0			+	+
Classic Rail	p. 20	+	0	+	+		
Classic Rail+	p. 22	+	0	+	+		

DECO RAIL / CLASSIC RAIL AND CLASSIC RAIL+ : 4 SCREWS PER m



for all  
installation  
movies





## CEILING

COMPACT  
DESIGN  
HIGH END

## ► PICTURE HANGING SYSTEMS

# UP RAIL







20

KG/M

10

YEAR WARRANTY



3 CLIPS / M

The Up Rail is the leading ceiling rail par excellence; the rail is especially suitable when used in combination with concrete. The picture hanging system is clicked into place using clips (3 clips each metre) which are attached to the ceiling. The beautiful rounded shape of the rail fills the space between the wall and ceiling, therefore the picture hanging system is discrete and unobtrusive. The maximum bearing capacity of 20 kg/m makes the Up Rail a solid and reliable hanging system. The rail has a white, primed finish: the hanging rail can be painted in any preferred colour (for example, in the colour of the wall or ceiling). The Twister hanging wires can be clicked anywhere along the rail. If a ceiling mounting is required, for example if the walls may not be damaged or because it is not possible to attach a rail to the walls, the Up Rail is the ideal solution for flexible adornment of the walls.

## RAIL



UP RAIL WHITE PRIMER RAL 9016	
ARTICLE NO. 200 cm	05.06200
ARTICLE NO. 300 cm	05.06300

FASTENER KIT WHITE	
ARTICLE NO. 200 cm	4098
ARTICLE NO. 300 cm	4099



installation  
movie




## FASTENER KIT


		QUANTITY 200 cm	QUANTITY 300 cm
05.06010	CLICK&CONNECT	6x	9x
9.4929	SCREW	6x	9x
9.4931	PLUG	6x	9x
05.06020	SET END CAPS L&R	2x	2x
2563	INSTRUCTION	1x	1x

ALL MOUNTING MATERIALS MAY BE ORDERED SEPERATELY

# TOP RAIL








20

KG/M

10

YEAR WARRANTY



8 SCREWS / M

The flexible picture hanging system Top Rail is mounted to the ceiling. This ceiling rail that is discreet in its dimensions is an ideal hanging system to use in combination with recessed ceilings. By mounting the ceiling rail to the wooden side strip of a recessed ceiling, the rail 'disappears' into the ceiling. This 'invisible' picture hanging system then offers a flexible way to hang, change and replace pictures and wall decorations throughout the entire room.

## RAIL



	TOP RAIL - WHITE RAL 9003		TOP RAIL - ALU ANODISED		TOP RAIL - BLACK ANODISED	
	P/1*	P/10*	P/1*	P/10*	P/1*	P/10*
ARTICLE NO. 200 cm	9.4309	9.4326	9.4313		9.4378	9.4323
ARTICLE NO. 300 cm	9.4310	9.4327	9.4314		9.4379	9.4324
ARTICLE NO. 600 cm	-	9.4362	-		-	9.4367
FASTENER KIT WHITE		FASTENER KIT GREY		FASTENER KIT BLACK		
ARTICLE NO. 200 cm	4070		4069		4068	
ARTICLE NO. 300 cm	4077		4076		4075	



installation  
movie



## FASTENER KIT

		QUANTITY 200 cm	QUANTITY 300 cm
9.4912 (WHITE) / 9.4913 (ALU) / 9.4903 (BLACK)		16x	24x
9.4900		16x	24x
2390		1x	1x

ALL MOUNTING MATERIALS MAY BE ORDERED SEPERATELY - 8 SCREWS /m

\* P/1 PACKAGED BY THE PIECE IN FOIL / P/10 PACKAGED PER 10 IN FOIL



INTEGRATED

DISCRETE  
FLEXIBLE  
DESIGN


## ► PICTURE HANGING SYSTEMS

# DECO RAIL / ART STRIP / CEILING STRIP


DECO RAIL



ART STRIP (IN COMBINATION WITH RECESSED CEILINGS)




CEILING STRIP (IN COMBINATION WITH RECESSED CEILINGS)




# SHADOWLINE

SHADOWLINE DRYWALL (IN COMBINATION WITH DRYWALL)





SHADOWLINE MASONRY (IN COMBINATION WITH DRYWALL)



# DECO RAIL






20

KG/M

10

YEAR WARRANTY








installation movie

**Flexible options for smooth walls with Deco Rail**

The Deco Rail is a hanging rail for pictures and wall decorations that is mounted behind a cornice. The hanging system becomes invisible as a result, while still offering all the advantages of a flexible hanging system. Walls with a clean, smooth finish remain undamaged, even though it is still possible to hang and move paintings continually. Hanging wires may be clicked into the rail behind the cornice at any desired location. This is the major benefit of the Deco Rail; flexibility and a guarantee for a high-quality finish. There are many different styles of cornice rails, and this hanging rail can be installed behind every type. The Deco Rail is available in combination with a selection of three different types of cornices: Basic, Modern and Classic.

## RAIL/CORNICE MOULDINGS

				
DECO RAIL - WHITE/PRIMER RAL 9016	CX 110 BASIC	CX 126 MODERN	C 213 CLASSIC	
ARTICLE NO. 200 cm	05.75100	05.75110	05.75126	05.75213
MOULDING DIMENSION	4 x 4,5 x 200 cm		9 x 9 x 200 cm	8 x 8 x 200 cm

## FASTENER MATERIAL



				
FX210 GLUE FOR CONNECTING JOINTS	FDP500 GLUE WALL AND CEILING	PLUG FISCHER UX 5 x 30 R UNIVERSAL 5 mm	SCREW 3,5 x 45 mm	
ARTICLE NO.	1015	1016	9.4931	9.4929
4 SCREWS / m				



FLEXIBLE  
DESIGN  
HIGH END


# ART STRIP





50  
KG/M

10  
YEAR  
WARRANTY





**Hanging rail integrated in side strip - suitable for recessed ceilings using a side strip**

The Art Strip is the picture hanging system that may be hidden in a recessed ceiling. It replaces the side strip which is used for the installation of recessed ceilings. During a tear-down phase or renovation work, the Art Strip can be installed at the same time as the recessed ceiling. The corner profile for the recessed ceiling is then mounted to the Art Strip. When you mount the Art Strip during the installation of recessed ceilings, you will have a picture hanging system available throughout the entire space, giving you a flexible way to decorate the walls. The Twister hanging cords may be clicked into any desired location in the rail next to the recessed ceiling.

RAIL		
		
		
		
installation movie		
<div>ART STRIP - WHITE RAL 9010</div> <div>ART STRIP - BLACK</div>		
ARTICLE NO. 300 cm	05.08310	05.07310


# CEILING STRIP





50  
KG/M

10  
YEAR  
WARRANTY



**Hanging rail integrated in corner profile - suitable for recessed ceilings that don't use a side strip**

When recessed ceilings are installed during a building project without side strips, then the Ceiling Strip offers many benefits. The Ceiling Strip replaces the corner profile used in recessed ceilings, and at the same time, creates a completely invisible picture hanging system. When this ceiling system is installed, the only element that is visible is a discreet shadow line along the edge of the recessed ceiling where the flexible picture hanging system is hidden. This shadow line can also camouflage any imperfections in the wall, such as those masked by a side strip. Thanks to the integration of the corner bracket and hanging system, the Twister gliders on the hanging cord also disappear completely into the ceiling: the hanging system is fully integrated and not visible.

RAIL		FASTENER MATERIAL	
		FISCHER UX 5 x 30 R UNIVERSAL PLUG 5 mm	9.4931
		SCREW 3,5 mm x 45 mm	9.4929
		SCREW METAL STUD 3,5 mm x 38 mm	9.4928
		4 SCREWS PER m	
<div>CEILING STRIP - WHITE RAL 9010</div>			
ARTICLE NO. 300 cm		05.08320	

installation movie

PICTURE HANGING SYSTEMS - INTEGRATED

# SHADOWLINE

DRYWALL - FIXATION DRYWALL



13,5 mm

14 mm

10 mm / 13 mm

48 mm

20

KG/M

10

YEAR WARRANTY

Hanging rail for plasterboard ceilings and walls (drywall)

The Shadowline rail - drywall enables the placement of an invisible picture hanging system between plasterboard walls and ceiling panels. A discreet shadow line is the only element that appears between the wall and ceiling, and this is where the flexible picture hanging system is hidden. It is possible to install a hanging cord in the rail, anywhere you like in the room. Since the rail itself isn't visible, the hanging cords are suspended directly from the ceiling. If you choose the transparent perlon hanging cords for the rail, you will have the most discreet picture hanging system at your disposal. Using the Shadowline ceiling system means you will always have a guarantee of smooth, clean walls, and the flexibility to decorate them any way you like, without the need for tools.

RAIL

SHADOWLINE DRYWALL

RAL 9016

ARTICLE NO. 250 cm FOR USE WITH DRYWALL 10 mm

05.08400

ARTICLE NO. 250 cm FOR USE WITH DRYWALL 13 mm

05.08420

FASTENER MATERIAL	
FISCHER UX 5X30 R UNIVERSAL PLUG 5 mm	9.4931
SCREW 3,5 mm x 45 mm	9.4929
RAIL IS SUPPLIED WITHOUT DRILLING HOLES	



installation movie

PICTURE HANGING SYSTEMS - INTEGRATED

# SHADOWLINE

MASONRY - FIXATION STONE WALLS



23,5 mm

10 mm / 13 mm

34,5 mm

20

KG/M

10

YEAR WARRANTY

Hanging rail for plasterboard ceilings and masonry walls

The Shadowline rail - masonry offers the same advantages as the plasterboard version, yet has been specially designed for use with masonry walls. The Shadowline rail is installed on a masonry wall during the building or renovation phase. The Shadowline profile disappears completely in the shadow line next to the ceiling panels, yet still offers all the advantages of a flexible hanging system: undamaged, clean walls and the flexibility to quickly and easily hang paintings and other wall decorations and move them around as desired.

RAIL

SHADOWLINE MASONRY

RAL 9016

ARTICLE NO. 250 cm FOR USE WITH DRYWALL 10 mm

05.08410

ARTICLE NO. 250 cm FOR USE WITH DRYWALL 13 mm

05.08430

FASTENER MATERIAL	
FISCHER UX 5 x 30 R UNIVERSAL PLUG 5 mm	9.4931
SCREW 3,5 mm x 45 mm	9.4929
9 SCREWS PER 2,5 m	



installation movie

# HANGING WIRES AND HOOKS

1

### SIMPLE-SAFE-STRONG

Artiteq developed the Twister glider system for all its hanging rails. Twister offers the most logical and user-friendly way to hook the hanging wire into the rail: insert, twist, click and you're done. Since the Twister may be clicked anywhere on the rail, you can hang a picture anywhere you like on the wall. You have the option of using Twister in perlon, steel wire or rods for all the Artiteq hanging systems.

The perlon and steel hanging wires with the Twister mechanism are available in 1 or 2 mm thicknesses, and in lengths ranging from 100 to 500 cm.



Twister is a European Registered Community Design.

MAX.  
20 KG

2




### EXTRA EASE-OF-USE


Thanks to the development of the Twister Cliq2Fix perlon system, perlon cord now has an additional functionality when it comes to hanging pictures. The hanging wire equipped with the Twister Cliq2Fix system may be inserted in the rail, eliminating the risk of the perlon cord popping loose from the rail as a result of its recoiling effect. This makes it extra safe, and easy to slide into the rail. In other words, extra ease-of-use.

MAX.  
20 KG


## MICRO GRIP



PROVEN TECHNOLOGY





REDUCED TO THE ESSENCE




NEW DESIGN

- LIGHTWEIGHT
- STRONG (20 kg)
- ERGONOMIC





The **Micro Grip** represents the newest generation of hooks. A high-quality plastic reinforced with fibreglass was chosen for this hook, leading to a 70% reduction in the use of materials compared with previous generations of hooks. In addition to the ecological advantages, the hook is extremely lightweight as a result, and very easy to use. The **Micro Grip** technology has been developed and patented by Artiteq. To guarantee the quality of the Micro Grip hooks, Artiteq has developed quality assurance procedures together with TÜV Nederland. The execution is under supervision of TÜV Nederland.



1

### 1 mm



TWISTER 1 mm					
30.21150	TWISTER	1 mm	PERLON	150 cm	 <p>MICRO GRIP 1 mm 30.41100   10 kg (STEEL) 5 kg (PERLON)</p>
30.21200	TWISTER	1 mm	PERLON	200 cm	
30.21300	TWISTER	1 mm	PERLON	300 cm	
30.22150	TWISTER	1 mm	STEEL	150 cm	
30.22200	TWISTER	1 mm	STEEL	200 cm	
30.22300	TWISTER	1 mm	STEEL	300 cm	
09.63150	TWISTER	1 mm	STEEL BLACK	150 cm	
09.63200	TWISTER	1 mm	STEEL BLACK	200 cm	
09.63300	TWISTER	1 mm	STEEL BLACK	300 cm	




TWISTER™

2

### 2 mm


TWISTER 2 mm					
09.23100	TWISTER	2 mm	PERLON	100 cm	 <p>MICRO GRIP 2 mm 30.41200   20 kg</p>
09.23150	TWISTER	2 mm	PERLON	150 cm	
09.23200	TWISTER	2 mm	PERLON	200 cm	
09.23250	TWISTER	2 mm	PERLON	250 cm	
09.23300	TWISTER	2 mm	PERLON	300 cm	
09.23500	TWISTER	2 mm	PERLON	500 cm	
09.33100	TWISTER	2 mm	STEEL	100 cm	
09.33150	TWISTER	2 mm	STEEL	150 cm	
09.33200	TWISTER	2 mm	STEEL	200 cm	
09.33250	TWISTER	2 mm	STEEL	250 cm	
09.33300	TWISTER	2 mm	STEEL	300 cm	
09.33500	TWISTER	2 mm	STEEL	500 cm	
9.4196	TWISTER	2 mm	ROD WHITE	100 cm	 <p>MICRO GRIP LOCK 2 mm 30.41250   20 kg</p>
9.4198	TWISTER	2 mm	ROD WHITE	200 cm	




TWISTER™

2

















### 2 mm

TWISTER CLIQ2FIX PERLON					
09.13100	TWISTER CLIQ2FIX	2 mm	PERLON	100 cm	 <p>MICRO GRIP 2 mm 30.41200   20 kg</p>
09.13150	TWISTER CLIQ2FIX	2 mm	PERLON	150 cm	
09.13200	TWISTER CLIQ2FIX	2 mm	PERLON	200 cm	
09.13250	TWISTER CLIQ2FIX	2 mm	PERLON	250 cm	
09.13300	TWISTER CLIQ2FIX	2 mm	PERLON	300 cm	



TWISTER™

# HANGING WIRES AND HOOKS

FOR USE WITH: UP RAIL, TOP RAIL, ART STRIP, CEILING STRIP, SHADOWLINE DRYWALL AND SHADOWLINE MASONRY										
	30.41200 20 kg AUTO GRIP	40.41250 20 kg AUTO GRIP	30.41100 10/5 kg AUTO GRIP	9.4262 15 kg AUTO GRIP	9.4261 15 kg AUTO GRIP	9.4208 10 kg MANUAL	9.4219 7 kg MANUAL	9.4209 7 kg MANUAL	9.4207 5 kg MANUAL	9.4205 4 kg MANUAL
LOCK			LOCK							
			✓							
			✓							
	✓	✓		✓	✓	✓	✓	✓	✓	✓
	✓	✓		✓	✓					
	✓	✓			✓				✓	
	✓	✓		✓	✓	✓	✓	✓	✓	✓

HANGING SETS 1 mm


	
TWISTER 1 mm STEELWIRE 150 cm + MICRO GRIP 1 mm (10 kg)	TWISTER 1 mm PERLON 150 cm + MICRO GRIP 1 mm (5 kg)
HANGING SET	HANGING SET
30.42150	30.42100


HANGING SETS 2 mm

				
TWISTER 2 mm PERLON 150 cm + MICRO GRIP 2 mm (20 kg)	TWISTER 2 mm PERLON 150 cm + HOOK 9.4205 (4 kg)	TWISTER 2 mm PERLON 150 cm + HOOK 9.4209 (7 kg)	TWISTER 2 mm PERLON 150 cm + HOOK 9.4261 (15 kg)	TWISTER 2 mm PERLON 150 cm + HOOK 9.4207 (5 kg)
HANGING SET	HANGING SET	HANGING SET	HANGING SET	HANGING SET
30.42200	9.6670	9.6672	9.6674	9.6671

# HANGING WIRES AND HOOKS

## TWISTER HOOK







for hanging light objects  
15 x 3,5 x 35 mm  
MAX. 1 kg

ARTICLE NO.	9.4510
-------------	--------

COMPATIBLE WITH ALL WALL SYSTEMS

## LOOP MAKER






for hanging with a loop  
15 x 3,5 x 35 mm  
MAX. 1 kg


ARTICLE NO.	9.4218
-------------	--------

COMPATIBLE WITH ALL PERLONWIRES 2 mm  
SEE PAGE 42

# HANGING WIRES AND HOOKS


## PICTURE MOUSE





PICTURE MOUSE WHITE

150 cm
ARTICLE NO. 7805.014





PICTURE MOUSE STEEL

150 cm
ARTICLE NO. 7805.016

COMPATIBLE WITH ALL WALL SYSTEMS


## MOUSE MAGNETS





MOUSE MAGNETS WHITE


ARTICLE NO. 7430.020
----------------------



MOUSE MAGNETS COLOUR

ARTICLE NO. 7430.010
----------------------

EXTRA



PICTURE CLIP TRANSPARENT

ARTICLE NO. 7805.007
----------------------





SOLO

FLEXIBLE  
STRONG  
SAFE

## ► PICTURE HANGING SYSTEMS

# UNIQ HANGER




A different way to hang wall decorations

In some spaces, it either isn't possible or desirable to use a hanging rail. The Uniq Hanger offers a solution for these situations. Not only is it easy and safe to hang a picture frame on the wall and easily adjust the height, but it also creates a certain look. The combination of the stainless steel button with the steel wire might result in just the look you want to create in an interior. You also have the option of fully concealing the system behind your photo frame or painting.


Hanging a frame without a rail

The Uniq Hanger consists of a wall fitting with cover, Twister 1 mm steel wire and a Micro Grip 1 mm suspension hook. It's easy to insert the steel wire in the wall fitting, and then just slide the stainless steel cover over this. After you slide the Micro Grip 1 mm over the steel wire, you can adjust the height. The Uniq Hanger may also be used with perlon hanging wires.

UNIQ HANGER		
Ø 6MM		
UNIQ HANGER (INCLUDES FASTENER MATERIAL)	SET UNIQ HANGER TWISTER 1 mm STEELWIRE 200 cm + MICRO GRIP 1 mm	SET UNIQ HANGER TWISTER 1 mm PERLON 200 cm + MICRO GRIP 1 mm
ARTICLE NO.	7805.042	7840.220      7840.240



# DISPLAY IT SOLO SET



A sleek hanging system for walls

Display It Solo Set is a hanging system for plates with thicknesses ranging from 3 to 6 mm, making it ideal for hanging Plexiglas and acrylic plates. With this system photos can be displayed in a sleek and safe way on the wall. Display It Solo Set is a display system that is easy to mount to the wall. The system consists of 2 buttons that are mounted to the wall, and then the Twister hanging cords are then Twister hanging cords hooked into them. Using the 4 clamps, you then attach the acrylic or Dibond plate to the perlon wire. This display system may also be used in combination with our hanging rails.

DISPLAY IT SOLO SET				
	4x	2x	2x	2x
	CLAMP 3-6 mm	WALL CLIP + COVER	FASTENER MATERIAL	TWISTER 2 mm PERLON
		PLASTIC		200 cm
ARTICLE NO.	7840.150	7805.030	7805.040	9.4929 / 9.4930 / 9.3394      09.23200

PARTITION WALL HOOKS



HOOKS



WALL HOOK				
SIZE	16 mm		21 mm	31 mm
COLOUR	WHITE		WHITE	WHITE
MAX. CAPACITY	15 kg		15 kg	15 kg
ARTICLE NO.	9.4503		9.4504	9.4506

HANGING WIRES



9.4424	SLIDER + PERLON	2 mm	100 cm
9.4425	SLIDER + PERLON	2 mm	150 cm
9.4426	SLIDER + PERLON	2 mm	200 cm
9.4427	SLIDER + PERLON	2 mm	250 cm
9.4428	SLIDER + PERLON	2 mm	300 cm



MICRO GRIP 2 mm  
30.41200 | 20 kg



MICRO GRIP LOCK 2 mm  
30.41250 | 20 kg

FOR OVERVIEW HOOKS AND HANGING SETS, SEE P. 16/17

Flexible and solid

Since it is not always possible (or allowed) to hang rails in every room, we also offer solutions for hanging pictures and wall decorations in the form of partition wall hooks. We offer a range of various types of partition wall hooks for rooms with partitions, giving you a solid, practical way to hang pictures and decorations even on these types of walls. Partition wall hooks are hung over the top of a wall, and then used in combination with a perlon or other type of cord fitted with a picture hook. We offer a variety of solutions depending on the weight of the picture or decoration to be hung.

HOOKS



WALL HOOK				WALL HOOK FLEX	
SIZE	16 mm	21 mm	31 mm	11-30 mm	
COLOUR	WHITE	WHITE	WHITE	STAINLESS STEEL	WHITE
MAX. CAPACITY	15 kg	15 kg	15 kg	3 kg	3 kg
ARTICLE NO.	9.4503	9.4504	9.4506	9.4540	9.4541

HOOKS



S-HOOK		GALLERY HOOK			GALLERY HOOK LARGE		
SIZE	2 mm	18 mm			20 mm		
COLOUR	WHITE	WHITE	NICKEL-PLATED	BRASS	WHITE	NICKEL-PLATED	BRASS
MAX. CAPACITY	20 kg	12,5 kg	12,5 kg	12,5 kg	20 kg	20 kg	20 kg
ARTICLE NO.	9.4500	9.4239	9.4238	9.4241	9.4247	9.4246	9.4248

HANGING WIRES



9.4412	PERLON + LOOP	2 mm	100 cm
9.4413	PERLON + LOOP	2 mm	150 cm
9.4414	PERLON + LOOP	2 mm	200 cm
9.4415	PERLON + LOOP	2 mm	250 cm
9.4416	PERLON + LOOP	2 mm	300 cm
9.4975	STEELWIRE + LOOP	2 mm	100 cm
9.4976	STEELWIRE + LOOP	2 mm	150 cm
9.4977	STEELWIRE + LOOP	2 mm	200 cm
9.4978	STEELWIRE + LOOP	2 mm	250 cm
9.4979	STEELWIRE + LOOP	2 mm	300 cm



MICRO GRIP 2 mm  
30.41200 | 20 kg



MICRO GRIP LOCK 2 mm  
30.41250 | 20 kg

FOR MORE HOOKS SEE P.18

MAGNETIC PICTURE HOOKS



7410.001	MAGNETIC PICTURE HOOK STEEL	100 X 53 mm	MAX. 1 kg
7410.002	MAGNETIC PICTURE HOOK STEEL	100 X 200 mm	MAX. 4 kg
7410.003	MAGNETIC PICTURE HOOK STEEL	150 X 250 mm	MAX. 6 kg
7410.004	MAGNETIC PICTURE HOOK STEEL	200 X 300 mm	MAX. 12 kg

## ► PRESENTATION SYSTEMS

MULTIFUNCTIONAL  
SAFE  
STRONG



# IMAGINE IT magazines





A1	FIXED MOUNTING ABOVE
A2	FLEXIBLE MAGNETIC MOUNTING ABOVE
B	FLEXIBLE MOUNTING ABOVE IN HANGING RAIL
C	FIXED MOUNTING ABOVE AND BELOW

Dynamic hanging system in the workspace

IMAGINE IT magazines is a dynamic hanging system that injects more colour and energy into ordinary workplaces. This new Artiteq concept allows inspirational magazines and trade journals to become part of the office in an appealing way. The great thing about this system is that it is unobtrusive: because of its minimalistic design, IMAGINE IT magazines almost appears to float. As well as being a presentation system, IMAGINE IT magazines is the fastest and most stylish way of dividing a department into different autonomous workstations. This ensures that a pleasant and open atmosphere is preserved, at the same time allowing sufficient privacy to enable individuals to focus on their work.

A narrow cable runs along both sides of the IMAGINE IT magazines hanging system which connects the horizontal rails to one another. Through a special mechanism in the end caps, the height of the various magazine rails can be adjusted. This enables a rail to easily be slid upwards or downwards, thereby immediately creating a different look. The rails are available in a 99 cm, 133 cm and 166 cm design, for 3, 4 or 5 magazines. You can also opt for magnetic suspension against a steel wall.

# IMAGINE IT magazines



SUITABLE FOR USE IN OPEN SPACES, FOR EXAMPLE AS A ROOM DIVIDER (FIXED MOUNTING ABOVE)



SUITABLE FOR FLEXIBLE USE ALONG THE WALL IN COMBINATION WITH THE PICTURE HANGING SYSTEM



SUITABLE FOR USE ALONG THE WALL AND DISPLAY CASE PRESENTATION (FIXED MOUNTING ABOVE AND BELOW)






installation movie

IMAGINE IT MAGAZINES			
	05.10099	IMAGINE IT RAIL BLACK	99 cm
	05.10133	IMAGINE IT RAIL BLACK	133 cm
	05.10166	IMAGINE IT RAIL BLACK	166 cm
	05.09099	IMAGINE IT RAIL ALU	99 cm
	05.09133	IMAGINE IT RAIL ALU	133 cm
	05.09166	IMAGINE IT RAIL ALU	166 cm
A1	7820.200	IMAGINE IT RAIL INSTALLATION KIT 400 cm	
A2	7820.210	IMAGINE IT RAIL INSTALLATION KIT MAGNETIC 400 cm	
B	7820.200	IMAGINE IT RAIL INSTALLATION KIT 400 cm	
B		CAN BE USED WITH ALL ARTITEQ PICTURE HANGING SYSTEMS	
C	7820.220	IMAGINE IT RAIL INSTALLATION KIT TENSIONING SET 400 cm*	

\* IMPORTANT: INCLUDES 1 WIRE. ORDER 2X ARTICLE NUMBER 7820.220 FOR MOUNTING OPTION C

# IMAGINE IT smart pockets



MOUNTING ABOVE

A1 A2 B C

WIRE CAP


MOUNTING BELOW

A1	FIXED MOUNTING ABOVE
A2	FLEXIBLE MAGNETIC MOUNTING ABOVE
B	FLEXIBLE MOUNTING ABOVE IN HANGING RAIL
C	FIXED MOUNTING ABOVE AND BELOW

Stylish presentation in a modern workspace

IMAGINE IT Smart Pockets is the most flexible system for presenting ambient images, documents and product photos. Unleash your imagination and vary the layout and size. The double-sided Smart Pockets are available in A3 and A4 versions and the rails are height adjustable, immediately giving a different effect. But better still, the system as a whole looks splendid. Streamlined, uncluttered and modern. As well as the practical considerations, IMAGINE IT Smart Pockets is an extremely aesthetic choice that merges with interior décor and design. The double-sided Smart Pockets can easily be clicked into the rail and they have a subtle notch at the side where you can easily change the content. Opt for an A3 or A4 size, or combine both for a more playful result.

# IMAGINE IT smart pockets



SUITABLE FOR USE IN OPEN SPACES, FOR EXAMPLE AS A ROOM DIVIDER (FIXED MOUNTING ABOVE)

SUITABLE FOR FLEXIBLE USE ALONG THE WALL IN COMBINATION WITH THE PICTURE HANGING SYSTEM

SUITABLE FOR USE ALONG THE WALL AND DISPLAY CASE PRESENTATION (FIXED MOUNTING ABOVE AND BELOW)


A1 A2 B C

1 CEILING  
2 SLANTING WALL  
3 WALL

CEILING ONLY


CAN BE USED WITH ALL ARTITEQ PICTURE HANGING SYSTEMS: THE STEELWIRE IS INSERTED IN THE RAIL

1 CEILING  
2 SLANTING WALL  
3 WALL




installation movie

IMAGINE IT SMART POCKETS

	05.10099	IMAGINE IT RAIL BLACK	99 cm
	05.10133	IMAGINE IT RAIL BLACK	133 cm
	05.10166	IMAGINE IT RAIL BLACK	166 cm
	05.09099	IMAGINE IT RAIL ALU	99 cm
	05.09133	IMAGINE IT RAIL ALU	133 cm
	05.09166	IMAGINE IT RAIL ALU	166 cm
A1	7820.200	IMAGINE IT RAIL INSTALLATION KIT 400 cm	
A2	7820.210	IMAGINE IT RAIL INSTALLATION KIT MAGNETIC 400 cm	
B	7820.200	IMAGINE IT RAIL INSTALLATION KIT 400 cm	
B		CAN BE USED WITH ALL ARTITEQ PICTURE HANGING SYSTEMS	
C	7820.220	IMAGINE IT RAIL INSTALLATION KIT TENSIONING SET 400 cm*	

\* IMPORTANT: INCLUDES 1 WIRE. ORDER 2X ARTICLE NUMBER 7820.220 FOR MOUNTING OPTION C

EASY TO CHANGE CONTENT



7804.210	SMART POCKET A4	PORTRAIT
7804.310	SMART POCKET A3	PORTRAIT
7804.220	SMART POCKET A4	LANDSCAPE
7804.320	SMART POCKET A3	LANDSCAPE

# MAGAZINE RAIL



MAGAZINE RAIL				
	05.14099	MAGAZINE RAIL BLACK	99 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.14133	MAGAZINE RAIL BLACK	133 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.14166	MAGAZINE RAIL BLACK	166 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.13099	MAGAZINE RAIL ALU	99 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.13133	MAGAZINE RAIL ALU	133 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.13166	MAGAZINE RAIL ALU	166 cm	INCLUDES FASTENER MATERIAL AND END CAPS
		05.14010	SERVICE KIT (CLIP + END CAP L&R + SCREWS AND PLUGS)	



MAX.  
**5**  
KG

**10**  
YEAR  
WARRANTY








Attractive presentation: magazines on the wall

Get rid of those messy piles of magazines. Magazine Rail organises periodicals and magazines in a very attractive manner. Unlike other presentation systems, it all looks orderly and eye-catching. Suitable for a modern interior, decorated with attention to detail and the experience of users. The Magazine Rail has fixed mounting, directly to the wall. Several rails below one another allow several magazines to be presented. The rail is available in 99 cm, 133 cm and 166 cm, for 3, 4 or 5 magazines and in a black or aluminium finish.

# SMART POCKET RAIL



SMART POCKET RAIL				
 	05.61100	SMART POCKET RAIL BLACK	100 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.61200	SMART POCKET RAIL BLACK	200 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.60100	SMART POCKET RAIL WHITE PRIMER	100 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.60200	SMART POCKET RAIL WHITE PRIMER	200 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	7804.210	SMART POCKET A4	PORTRAIT	
	7804.310	SMART POCKET A3	PORTRAIT	
	7804.220	SMART POCKET A4	LANDSCAPE	
	7804.320	SMART POCKET A3	LANDSCAPE	





SMART  
POCKETS  
A3/A4

**10**  
YEAR  
WARRANTY






Stylish presentation of pictures. ideas and information

A speedy solution for improved, more stylish presentation of pictures, ideas and information. From charts and models to photos of employees. The Smart Pocket Rail can be used for a very wide range of applications and is suitable for internal and external use. It is an ideal system for presenting content in a vivid way. It also transforms a boring wall into a dynamic part of the room. The Smart Pocket Rail is mounted to the wall with clips. You can easily click the acrylic pockets into this rail. You can choose from an A4 or A3 size. Because of the notch at the back and side of the pocket, you can change the content very quickly and easily, without having to remove the smart pockets from the rail.

# DISPLAY IT FIXED



**Display It: professional and orderly**

The Display It presentation system gives you a professional and orderly way to display your announcements or documents. The system's acrylic frames are easy to mount and adjust to the desired height. Thanks to the E-Clip for Display It, you can change the contents of the acrylic frames in seconds. The clip also makes it easy to connect the frames to one another, making both horizontal and vertical displays possible. This display system is ideal for estate agents and is often used as a 'face wall' for photos of staff displayed on the wall in hospitals and other institutions. Display It is available in Flex and Fixed mounting models. The Display It Flex version is used in combination with a hanging rail and stainless steel rods that are easy to reposition along the rail.


# DISPLAY IT FIXED

SET STEELWIRE

SET STEELWIRE  
2 mm FIXED

400 cm

ARTICLE NO. 7820.400



CLAMPS

E-CLIP

2 mm

ARTICLE NO. 7805.005

CLAMP

2-4 mm

7805.001

DOUBLE CLAMP

2-4 mm

7805.002

DISPLAYS					
	ARTICLE NO.	7803.211	2 mm A4	30 x 21 cm LANDSCAPE	
	ARTICLE NO.	7803.212	2 mm A4	21 x 30 cm PORTRAIT	
	ARTICLE NO.	7803.301	2 mm A3	42 x 30 cm LANDSCAPE	
	ARTICLE NO.	7803.302	2 mm A3	30 x 42 cm PORTRAIT	
					CLAMP DISPLAY
					7805.003

ALL-IN SET

BOX DISPLAY IT E-CLIP

2 x set steelwire 2 mm fixed (400 cm), 20 x E-Clip, 5 x display 2 mm A4 portrait

ARTICLE NO. 7830.401



EASY TO  
CHANGE CONTENT

# DISPLAY IT FLEX



**Display It: professional and orderly**

The Display It presentation system gives you a professional and orderly way to display your announcements or documents. The system's acrylic frames are easy to mount and adjust to the desired height. Thanks to the E-Clip for Display It, you can change the contents of the acrylic frames in seconds. The clip also makes it easy to connect the frames to one another, making both horizontal and vertical displays possible. This display system is ideal for estate agents and is often used as a 'face wall' for photos of staff displayed on the wall in hospitals and other institutions. Display It is available in Flex and Fixed mounting models. The Display It Flex version is used in combination with a hanging rail and stainless steel rods that are easy to reposition along the rail.

# DISPLAY IT FLEX

CAN BE USED IN COMBINATION WITH ALL PICTURE HANGING SYSTEMS (PAGES 8 TO 39)



EASY TO  
CHANGE CONTENT

RODS		
	TWISTER 2 mm ROD STAINLESS STEEL	TWISTER 2 mm ROD WHITE
	200 cm	200 cm
ARTICLE NO.	9.4188	9.4198

CLAMPS			
	E-CLIP	CLAMP	DOUBLE CLAMP
	2 mm	2-4 mm	2-4 mm
ARTICLE NO.	7805.005	7805.001	7805.002



installation  
movie



DISPLAYS					
	ARTICLE NO.	7803.211	2 mm A4	30 x 21 cm LANDSCAPE	
	ARTICLE NO.	7803.212	2 mm A4	21 x 30 cm PORTRAIT	
	ARTICLE NO.	7803.301	2 mm A3	42 x 30 cm LANDSCAPE	
	ARTICLE NO.	7803.302	2 mm A3	30 x 42 cm PORTRAIT	
					CLAMP DISPLAY
					7805.003


# DISPLAY IT ECONOMY



installation movie

## DISPLAY IT ECONOMY

	A6 set	A4 set	A3 set	
				
	DISPLAY IT ECONOMY ALL-IN SET A6	DISPLAY IT ECONOMY ALL-IN SET A4	DISPLAY IT ECONOMY ALL-IN SET A3	SERVICE SET DISPLAY IT ECONOMY
	2 steelwires, fastener material, 16x E-Clips, 8 x display A6	2 steelwires, fastener material, 16x E-Clips, 4 x display A4	2 steelwires, fastener material, 16x E-Clips, 4 x display A3	1 steelwire, stoppers, screws, plugs, 4x E-Clips, 2 clamps
ARTICLE NO.	7870.006	7870.004	7870.003	7870.100



## ► INFO RAIL / INFO RAIL *me*



The Info Rail is the ideal display system for displaying cards, posters, drawings and photos on the wall. Thanks to the Info Rail, you can create a tidy, orderly display of your documents.

This system means no more damaged walls from thumbtacks, tape and so on, and changing drawings or posters is fast and easy. This hanging system has become particularly indispensable in classrooms and school corridors. The Info Rail is also an ideal system for displaying or sharing information at home and the office.

### Easy assembly thanks to clips

The Info Rail has been developed for hanging documents using a triple rubber clamping mechanism in the rail. Paper from 80 g to cardboard 2 mm thick can be firmly clamped into the rail. After mounting the Click & Connect clips to the wall, it's easy to attach the Info Rail to the clips. Available in different lengths, the Info Rail is easy to link to other Info Rails or shortened. Whether you want to display photos or drawings or keep recipes within easy reach, the Info Rail offers the solution.



MULTIFUNCTIONAL  
FLEXIBLE  
STRONG

### Info Rail *me* - personal and organised


The *me*-clip adds an extra personal and beautifully designed element to the Info Rail system. A name can be added to the contents of the clip. A great solution for the perfect presentation and communication tool. The clip is always adaptable and always keeps its 100% quality appearance, no matter how often the clip is used. It's handy, and directly and rapidly adaptable thanks to Info Rail's smart, flexible properties.

### Clip Hanger voor Info Rail

With a simple click, the Clip Hanger is attached to the Info Rail, allowing a craft project to be hung up. In combination with the *me*-clip, art creations can be presented in a fun and personal manner.





# INFO RAIL





> 80  
< 2<sup>G</sup>  
MM


10  
YEAR  
WARRANTY



INFO RAIL				
	05.5 5025	INFO RAIL WHITE	25 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.55050	INFO RAIL WHITE	50 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.55100	INFO RAIL WHITE	100 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.55200	INFO RAIL WHITE	200 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.55300	INFO RAIL WHITE	300 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.54025	INFO RAIL ALU	25 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.54050	INFO RAIL ALU	50 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.54100	INFO RAIL ALU	100 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.54200	INFO RAIL ALU	200 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.54300	INFO RAIL ALU	300 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.56100	INFO RAIL BLACK STRUCTURE	100 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.56200	INFO RAIL BLACK STRUCTURE	200 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.47160	END CAP INFO RAIL WHITE (L&R)		
	05.47150	END CAP INFO RAIL ALU (L&R)		
	05.47170	END CAP INFO RAIL BLACK (L&R)		

# INFO RAIL *me* - CLIP






05.47100

me-CLIP(10)

# INFO RAIL CLIP HANGER





05.47200 (10)

CLIP HANGER




installation  
movie



installation  
movie


# HANGING WHITEBOARDS








There are a variety of ways to hang a whiteboard on the wall. Hanging a whiteboard with the aid of the Whiteboardset offers the option of repositioning the whiteboard either horizontally or vertically. The Artiteq Whiteboardset has been designed to make it easy to hang a whiteboard on the wall, and offers flexibility since it may be used in combination with our hanging rails. The clamps ensure a stable mounting of the whiteboard to the wall. By combining the Whiteboardset with the hanging rail, it is extremely easy to mount the whiteboard to the precise desired spot.


The Whiteboardsupport is a wall bracket that offers a flexible way to swivel the whiteboard away from the wall. This bracket has been specially designed to offer the option of extending and swiveling the whiteboard up to 90 degrees away from the wall. The whiteboard may be returned to a flat position against the wall, making it ideal for small office or rooms with a limited amount of space.

# WHITEBOARDSET / SELF-ADHESIVE HANGING MAGNET



WHITEBOARDSET				
	 <b>2x</b>	 <b>2x</b>	 <b>12x</b>	 <b>12x</b>
WHITEBOARDSET (HANGING WIRE NOT INCLUDED)*	CLAMP UP	CLAMP DOWN	SCREW 8 mm	SCREW 12 mm
ARTICLE NO.	9.4550			

\* TO BE USED WITH TWISTER 2 mm STEELWIRE (SEE P. 15)



SELF-ADHESIVE HANGING MAGNET FOR WHITEBOARDS			
7430.001	SELF-ADHESIVE HANGING MAGNET FOR WHITEBOARDS	75 x 50 x 11 mm	MAX. 3 kg

# WHITEBOARDS, GLASSBOARDS & TEXTILE BOARDS



Legamaster




WHITEBOARDS FRAMELESS		
7512.001	BOARD-UP FRAMELOOS WHITEBOARD	75 x 50 cm
7512.002	BOARD-UP FRAMELOOS WHITEBOARD	75 x 75 cm
7512.003	BOARD-UP FRAMELOOS WHITEBOARD	100 x 100 cm

WHITEBOARDS		
7510.001	PREMIUM PLUS WHITEBOARD	30 x 45 cm
7510.002	PREMIUM PLUS WHITEBOARD	45 x 60 cm
7510.003	PREMIUM PLUS WHITEBOARD	60 x 90 cm
7510.005	PREMIUM PLUS WHITEBOARD	75 x 100 cm
7510.004	PREMIUM PLUS WHITEBOARD	90 x 120 cm
7510.006	PREMIUM PLUS WHITEBOARD	90 x 180 cm
7510.007	PREMIUM PLUS WHITEBOARD	100 x 150 cm
7510.008	PREMIUM PLUS WHITEBOARD	100 x 200 cm
7510.009	PREMIUM PLUS WHITEBOARD	120 x 120 cm
7510.010	PREMIUM PLUS WHITEBOARD	120 x 150 cm
7510.011	PREMIUM PLUS WHITEBOARD	120 x 180 cm
7510.012	PREMIUM PLUS WHITEBOARD	120 x 200 cm
7510.013	PREMIUM PLUS WHITEBOARD	120 x 240 cm

GLASSBOARDS		
7508.010	GLASSBOARD WHITE	40 x 60 cm
7508.011	GLASSBOARD WHITE	60 x 80 cm
7508.012	GLASSBOARD WHITE	90 x 120 cm
7508.013	GLASSBOARD WHITE	100 x 150 cm
7508.014	GLASSBOARD BLACK	40 x 60 cm
7508.015	GLASSBOARD BLACK	60 x 80 cm
7508.016	GLASSBOARD BLACK	90 x 120 cm
7508.017	GLASSBOARD BLACK	100 x 150 cm
7508.018	GLASSBOARD RED	40 x 60 cm
7508.019	GLASSBOARD RED	60 x 80 cm
7508.020	GLASSBOARD RED	90 x 120 cm
7508.021	GLASSBOARD RED	100 x 150 cm
7508.022	GLASSBOARD BLUE	40 x 60 cm
7508.023	GLASSBOARD BLUE	60 x 80 cm
7508.024	GLASSBOARD BLUE	90 x 120 cm
7508.025	GLASSBOARD BLUE	100 x 150 cm

# WHITEBOARDS, GLASSBOARDS & TEXTILE BOARDS



TEXTILE BOARDS (PRIKBORDEN)		
7507.010	PREMIUM TEXTILE BOARD GRIJS	45 x 60 cm
7507.011	PREMIUM TEXTILE BOARD GRIJS	60 x 90 cm
7507.012	PREMIUM TEXTILE BOARD GRIJS	90 x 120 cm
7507.013	PREMIUM TEXTILE BOARD GRIJS	100 x 150 cm
7507.014	PREMIUM TEXTILE BOARD BLAUW	45 x 60 cm
7507.015	PREMIUM TEXTILE BOARD BLAUW	60 x 90 cm
7507.016	PREMIUM TEXTILE BOARD BLAUW	90 x 120 cm
7507.017	PREMIUM TEXTILE BOARD BLAUW	100 x 150 cm

FOR MORE LEGAMASTER MODELS AND PRODUCTS, PLEASE CONTACT ARTITEQ.

HIGH QUALITY  
SAFE  
STRONG



# PICTURE MOUSE SOLO







Picture Mouse Solo is a handy and original hanging cord for hanging several documents at the same time, such as displaying cards, for example. It is a hanging system that makes practical use of the walls in a room. Thanks to the transparent Picture Clips, it is easy to attach photos, cards and other documents to the steel cord. Magnets work with the Picture Mouse cord, as an alternative to the clips. The Picture Mouse Solo is also a practical alternative to a picture frame hung on the wall since you can display several photos one under the other.

**On the wall or in combination with a hanging rail**

The Picture Mouse Solo system is easy to install. Attach the round button to the wall, and then just hang the steel Picture Mouse cord from the button. The Picture Mouse hanging wire may also be used with all our picture hanging systems.


PICTURE MOUSE SOLO

	 <b>1x</b>	 <b>1x</b>	 <b>10x</b>
PICTURE MOUSE SOLO	PICTURE MOUSE WHITE	WALL CLIP + COVER (WITH FASTENER MATERIAL)	PICTURE CLIP TRANSPARENT
<b>150 cm</b>			
ARTICLE NO.	7840.100		

# FRAMES AND FRAME ACCESSORIES




CLICK FRAMES



7020.015	CLICK FRAME 20 mm A5 15 x 21 cm
7020.021	CLICK FRAME 20 mm A4 21 x 30 cm
7025.030	CLICK FRAME 25 mm A3 30 x 42 cm
7025.042	CLICK FRAME 25 mm A2 42 x 60 cm
7032.050	CLICK FRAME 32 mm 50 x 70 cm
7032.060	CLICK FRAME 32 mm A1 60 x 84 cm
7032.070	CLICK FRAME 32 mm 70 x 100 cm
7032.084	CLICK FRAME 32 mm A0 84 x 119 cm
9.4236	HOOK FOR CLICK FRAME (MAX. 2,5 kg)

POSTER SYSTEMS




7350.050	POSTER SNAP 50 cm
7350.070	POSTER SNAP 70 cm
7350.100	POSTER SNAP 100 cm
7350.120	POSTER SNAP 120 cm

# XPO RAIL / PANEL GRIP



The Xpo Rail is ideal for hanging signage and advertising materials from the ceilings in rooms. In combination with the Artiteq Solid Slider hanging wires and Panel Grips, panels made from different materials, with a thickness of between 1 and 4 mm, can be hung from the ceiling. The Xpo Rail is attached using clips onto which the rail is firmly clicked. The Xpo Rail is designed to be attached to the ceiling in open spaces. Therefore, for reasons of safety, only Solid Slider hanging wires are advised in combination with this rail.

## RAIL



	XPO RAIL 200 cm WHITE PRIMER	XPO RAIL 200 cm BLACK	XPO RAIL 200 cm ALU
ARTICLE NO.	05.15200	05.15201	05.15202

	FASTENER KITS
5092	XPO RAIL WIT 200 cm
5093	XPO RAIL BLACK/ALU 200 cm

## PANEL GRIP



	PANEL GRIP (1-4 mm)	SOLID SLIDER 2 mm
ARTICLE NO.	7806.140	SEE PAGE 15 FOR AVAILABLE LENGTHS



installation movie



FASTENER KIT			
			QUANTITY 200 cm
05.15010	CLIP XPO RAIL		6x
9.4931	PLUG FISHER 5 mm		6x
9.4929	SCREW FOR USE WITH PLUG FISHER 5 mm		6x
05.15020 / 05.15030	END CAP XPO RAIL WHITE / BLACK		2x
2639	INSTRUCTION		1x

20


KG/M

10

YEAR WARRANTY

3 CLIPS / M

# UNI HANGER / PANEL GRIP



The Uni Hanger, in combination with the Panel Grips, provides a solution for hanging signage or other advertising materials from the ceiling. The Uni Hanger is attached to the ceiling with plugs and screws and is designed in such a way that every Artiteq Twister hanging wire is suitable for the system. Perlon and steel wire 1-mm and 2-mm hanging wires can be used. The Panel Grips are easily attached to the hanging wire, allowing presentation of panels with a thickness of between 1 and 4 mm.

## UNI HANGER



	UNI HANGER
ARTICLE NO.	7806.150

COMPATIBLE WITH ALL TWISTER HANGING WIRES 2 mm  
(SEE PAGE 15)

## PANEL GRIP



	PANEL GRIP (1-4 mm)
ARTICLE NO.	7806.140

10

KG

10

YEAR WARRANTY



installation movie

# LOOP HANGER












MAX.  
**10**  
KG

**10**  
YEAR  
WARRANTY

Hang items quickly and safely

The Loop Hanger mechanism, in combination with steel cable, offers a quick and practical solution for hanging up various items: not only advertising signage or an individual panel in a room, but also more industrial items such as cable ducts, pipes, recessed spotlights or even recessed ceiling islands. The Loop Hanger guarantees quick installation without the need to use any tools. In addition to its hanging function, the system is also ideal for securing or supporting items.

The Loop Hanger is a hanging system that is extremely easy to use, the height may be adjusted in a single motion, and it is simple to disassemble. The steel cable can be inserted into the mechanism and blocked in two steps. It also offers countless options for hanging up any of your items. The Loop Hanger is available in four sets, including steel cable with a hook and loop connection, with the Micro Grip 1 mm picture hook and in combination with a frame hanger.




LOOP HANGER					
					
					
LOOP HANGER		SET LOOP HANGER + FRAME HANGER 200 cm		SET LOOP HANGER + LOOP 200 cm	
SET LOOP HANGER + MICRO GRIP 1 mm 200 cm		SET LOOP HANGER + HOOK 200 cm			
ARTICLE NO. 7805.052		7840.330		7840.310	
7840.320		7840.300			

# MAGNETIC CEILING HANGER



Hanging panels from the ceiling

The magnetic ceiling hanger is a practical and easy-to-use hanging system for advertising signage or individual panels in a room. The magnetic ceiling hanger can easily be applied to a recessed ceiling for example.


MAGNETIC CEILING HANGER			
 	7450.010	MAGNETIC CEILING HANGER	MAX. 1 kg
	7450.100	MAGNETIC CEILING HANGER + TWISTER 1 mm PERLON + MICRO GRIP 1 mm	HANGING SET MAX. 1 kg
*COMPATIBLE WITH ALL TWISTER 1 AND 2 mm HANGING WIRES (SEE PAGE 17)			
			

## ► OTHER

SIMPLE  
SAFE  
STRONG



FRAME ACCESSORIES



D-RING HANGER

ARTICLE NO. 805.249



SCREW D-RING

9.4911



HANGING SET  
STEELWIRE + D-RING  
HANGERS

9.5522



FRAME HANGER  
1 - 1,5 mm  
(MAX. 10 KG)

ARTICLE NO. 7805.055



FRAME HANGER FOR  
USE WITH WOOD

ARTICLE NO. 808.650



FRAME HANGER FOR  
USE WITH ALUMINIUM

808.720



SET FRAME HANGERS  
L&R

808.600



DIBOND HANGER

ARTICLE NO. 809.045 45 x 45 mm (MAX. 1,5 KG)

809.070 70 x 70 mm (MAX. 3 KG)

809.100 100 x 100 mm (MAX. 6 KG)

809.200 100 x 200 mm (MAX. 12 KG)



SPACER

809.001 12,5 x 12,5 x 5,7 mm

SPOOL



STEELWIRE  
1 mm SPOOL

ARTICLE NO. 100 m

9.4904



STEELWIRE  
1,2 mm SPOOL

9.4955



STEELWIRE  
1,5 mm SPOOL

9.4990



PERLON  
2 mm SPOOL

9.4404

ARTICLE NO. 500 m

-

-

-

9.4421S



PRESSING NIPPLE  
1-1,2 mm

ARTICLE NO. 9.4905



WIRE CLAMP  
1,5 mm ALU

9.4430



WIRE CLAMP  
2 mm ALU

9.4431



HANGING NIPPLE

9.4211

OTHER



TILE HANGER 32 mm (MAX. 200 GR)

ARTICLE NO. 808.130



PLATE HANGER 18-24 cm (MAX. 1 KG)

807.025



OTHER

# MAGNETIC COAT RACKS



7420.001

MAGNETIC COAT RACK 2 HOOKS STANDARD

300 x 65 x 65 mm



7420.002

MAGNETIC COAT RACK 4 HOOKS STANDARD

600 x 65 x 65 mm



7420.003

MAGNETIC COAT RACK 2 HOOKS DE LUXE

215 x 80 x 45 mm




7420.004

MAGNETIC COAT RACK 4 HOOKS DE LUXE

410 x 80 x 45 mm








# CLICK RAIL WHITE ALL-IN-ONE








The flexible Click Rail picture hanging system is available in several different all-in-one economy kits. This retail packaging includes the rail, mounting materials and instruction sheets, hanging cords and hooks, and is available in sets of 2, 4 and 6 metres. The all-in-one economy sets offer a complete solution and are ready for immediate sale.






## ALL-IN-ONE SET 2m

	 <b>1x 2m</b>	 <b>6x</b>	 <b>2x</b>	 <b>2x</b> max. 4 kg 150 cm
	CLICK RAIL WHITE RAL 9010	FASTENER MATERIAL	END CAP	SLIDER + PERLON 2 mm + HOOK 4 kg
ARTICLE NO. 9.5621				

## ALL-IN-ONE SET 4m






	 <b>2x 2m</b>	 <b>12x</b>	 <b>2x</b>	 <b>3x</b> max. 4 kg 150 cm
	CLICK RAIL WHITE RAL 9010	FASTENER MATERIAL	END CAP	SLIDER + PERLON 2 mm + HOOK 4 kg
ARTICLE NO. 9.5627				

## ALL-IN-ONE SET 6m






	 <b>3x 2m</b>	 <b>18x</b>	 <b>2x</b>	 <b>4x</b> max. 4 kg 150 cm
	CLICK RAIL WHITE RAL 9010	FASTENER MATERIAL	END CAP	SLIDER + PERLON 2 mm + HOOK 4 kg
ARTICLE NO. 9.5629				

# CLICK RAIL WHITE PRIMER / ALU ALL-IN-ONE






## ALL-IN-ONE SET 2m

	 <b>1x 2m</b>	 <b>6x</b>	 <b>2x</b>	 <b>2x</b> max. 4 kg 150 cm
	CLICK RAIL WHITE PRIMER RAL 9016	FASTENER MATERIAL	END CAP	SLIDER + PERLON 2 mm + HOOK 4 kg
ARTICLE NO. 9.5623				






## ALL-IN-ONE SET 4m

	 <b>2x 2m</b>	 <b>12x</b>	 <b>2x</b>	 <b>3x</b> max. 4 kg 150 cm
	CLICK RAIL WHITE PRIMER RAL 9016	FASTENER MATERIAL	END CAP	SLIDER + PERLON 2 mm + HOOK 4 kg
ARTICLE NO. 9.5628				

## ALL-IN-ONE SET 6m

	 <b>3x 2m</b>	 <b>18x</b>	 <b>2x</b>	 <b>4x</b> max. 4 kg 150 cm
	CLICK RAIL WHITE PRIMER RAL 9016	FASTENER MATERIAL	END CAP	SLIDER + PERLON 2 mm + HOOK 4 kg
ARTICLE NO. 9.5630				

## ALL-IN-ONE SET 2m

	 <b>1x 2m</b>	 <b>6x</b>	 <b>2x</b>	 <b>2x</b> max. 4 kg 150 cm
	CLICK RAIL ALU	FASTENER MATERIAL	END CAP	SLIDER + PERLON 2 mm + HOOK 4 kg
ARTICLE NO. 9.5622				

# DISPLAYS & DEMONSTRATION TOOLS



DISPLAY HANGING SOLUTIONS MICRO GRIP		
3291C	DISPLAY HANGING SOLUTIONS MICRO GRIP	50x34x212 cm

CONTENT DISPLAY HANGING SOLUTIONS MICRO GRIP (3291C)		QUANTITY
9.7130	ALL-IN-ONE KIT 2 m CLICK MICRO GRIP RAIL WHITE PRIMER	12
9.7131	ALL-IN-ONE KIT 4 m CLICK MICRO GRIP RAIL WHITE PRIMER	8
9.7090	MICRO GRIP 2 mm (2x)	10
9.7091	TWISTER 2 mm PERLON 2mm 200 cm + MICRO GRIP 2 mm	10
9.7092	TWISTER 2 mm PERLON 2mm 200 cm (2x)	5
9.7093	INSTALLATION SET CLICK RAIL 2 m	5
9.7094	PICTURE MOUSE SOLO	5
9.7141	INFO RAIL RETAIL PACK WHITE 100 cm	5






# INFO RAIL RETAIL PACK













9.7140	INFO RAIL RETAIL PACK ALU 100 cm
9.7141	INFO RAIL RETAIL PACK WHITE 100 cm

SEE PAGE 68 FOR INFO RAIL

# CLICK RAIL WHITE PRIMER MICRO GRIP ALL-IN-ONE

ALL-IN-ONE SET 2m				
	 <b>1x 2m</b>	 <b>6x</b>	 <b>2x</b>	 <b>2x</b> <small>max. 20 kg</small>
	CLICK RAIL WHITE PRIMER RAL 9016	FASTENER MATERIAL	END CAP	MICRO GRIP 2 mm + TWISTER 2 mm PERLON
ARTICLE NO.	9.7130			

ALL-IN-ONE SET 4m				
	 <b>2x 2m</b>	 <b>12x</b>	 <b>2x</b>	 <b>3x</b> <small>max. 20 kg</small>
	CLICK RAIL WHITE PRIMER RAL 9016	FASTENER MATERIAL	END CAP	MICRO GRIP 2 mm + TWISTER 2 mm PERLON
ARTICLE NO.	9.7131			

RETAIL SETS		
	9.7090	MICRO GRIP 2 mm (2x)
	9.7091	TWISTER 2 mm PERLON 200 cm + MICRO GRIP 2 mm
	9.7092	TWISTER 2 mm PERLON 200 cm (2x)
	9.7093	INSTALLATION SET CLICK RAIL 2 m
	9.7094	PICTURE MOUSE SOLO

# DISPLAYS & DEMONSTRATION TOOLS








DISPLAY ART HANGING SOLUTIONS XS		
3290C	DISPLAY AHS XS	50 x 34 x 212 cm
CONTENT DISPLAY ART HANGING SOLUTIONS XS		QUANTITY
9.7051	END CAPS WHITE (2x)	6
9.7053	CORNER CONNECTOR (2x)	6
9.7055	CLICK & CONNECT (6x) + SCREWS + PLUGS	6
9.7076	TWISTER 2 mm PERLON 200 cm (2x)	12
9.7058	HOOK 15 kg (2x)	6
9.7082	HOOK 4 kg +TWISTER 2 mm PERLON 150 cm	6
9.7075	HOOK 4 kg (2x)	6
9.7083	HOOK 15 kg + TWISTER 2 mm PERLON 150 cm	6
9.4348	CLICK RAIL WHITE PRIMER 200 cm	20
9.7162	ALL-IN-ONE KIT CLICK RAIL WHITE PRIMER 200 cm	12
3199	BROCHURE	25
3290	DISPLAY	1


## ACCESSORIES RETAIL SETS













9.7051	END CAPS WHITE (2x)
9.7053	CORNER CONNECTOR (2x)
9.7055	CLICK & CONNECT (6x) + SCREWS + PLUGS
9.7076	TWISTER 2 mm PERLON 200 cm (2x)
9.7058	HOOK 15 kg (2x)
9.7082	HOOK 4 kg +TWISTER 2 mm PERLON 150 cm
9.7075	HOOK 4 kg (2x)
9.7083	HOOK 15 kg + TWISTER 2 mm PERLON 150 cm

## RETAIL SETS

ALL-IN SET 2m				
	 <b>1x 2m</b>	 <b>6x</b>	 <b>2x</b>	 <b>2x</b> max. 15 kg
	CLICK RAIL WHITE PRIMER RAL 9016	FASTENER MATERIAL	END CAP	HOOK 15 kg + TWISTER 2 mm PERLON
ARTICLE NO.	9.7162			

ALL-IN SET 2m				
	 <b>1x 2m</b>	 <b>6x</b>	 <b>2x</b>	 <b>2x</b> max. 15 kg
	CLICK RAIL WHITE RAL 9010	FASTENER MATERIAL	END CAP	HOOK 15 kg + TWISTER 2 mm PERLON
ARTICLE NO.	9.7161			

ALL-IN SET 2m				
	 <b>1x 2m</b>	 <b>6x</b>	 <b>2x</b>	 <b>2x</b> max. 15 kg
	CLICK RAIL ALU BRUSHED	FASTENER MATERIAL	END CAP	HOOK 15 kg + TWISTER 2 mm PERLON
ARTICLE NO.	9.7163			

ALL-IN SET 2m				
	 <b>1x 2m</b>	 <b>6x</b>	 <b>2x</b>	 <b>2x</b> max. 15 kg
	CLICK RAIL ALU BRUSHED	FASTENER MATERIAL	END CAP	HOOK 15 kg + TWISTER 2 mm STEELWIRE
ARTICLE NO.	9.7164			

DISPLAYS & DEMONSTRATION TOOLS

DEMONSTRATION TOOLS



DEMONSTRATION BOARDS	
9.5730	DEMONSTRATION BOARD CLICK RAIL PRO 50 x 130 cm
9.5731	DEMONSTRATION BOARD COMBI RAIL PRO LIGHT 50 x 130 cm
9.5732	DEMONSTRATION BOARD CLASSIC RAIL + CLASSIC RAIL+ 50 x 130 cm
9.5733	DEMONSTRATION BOARD DECO RAIL 50 x 130 cm
9.5735	DEMONSTRATION BOARD DISPLAY IT FIXED + FLEX 50 x 130 cm
9.5737	DEMONSTRATION BOARD MAGNETIC SOLUTIONS 50 x 130 cm
9.5739	DEMONSTRATION BOARD WHITEBOARDSET + PARTITION HOOKS 50 x 130 cm
9.5740	DEMONSTRATION BOARD CONTOUR RAIL 50 x 130 cm
9.5741	DEMONSTRATION BOARD LOOP HANGER 50 x 130 cm
9.5742	DEMONSTRATION BOARD INFO RAIL + INFO RAIL ME 50 x 130 cm
9.5743	DEMONSTRATION BOARD CLICK FRAMES + POSTER SNAP 50 x 130 cm
9.5745	DEMONSTRATION BOARD SHADOWLINE 50 x 130 cm
9.5746	DEMONSTRATION BOARD ART STRIP + CEILING STRIP 50 x 130 cm
9.5747	DEMONSTRATION BOARD TOP RAIL + UP RAIL 50 x 130 cm

DEMONSTRATION TOOLS

DEMONSTRATION TOOLS



SAMPLE KIT		
3250	PICTURE HANGING SYSTEMS - INTEGRATED	15,5 x 7,5 x 7,5 cm

SAMPLE KIT		
3252	SAMPLE KIT PICTURE HANGING SYSTEMS - WALL (CONTOUR RAIL / CLICK RAIL / CLICK RAIL PRO)	
3254	SAMPLE KIT PICTURE HANGING SYSTEMS - CEILING (ART STRIP / TOP RAIL)	
3255	SAMPLE KIT UP RAIL	

DEMONSTRATION CASE	
5028	DEMONSTRATION CASE IMAGINE IT



FRONT

BACK

DESK DISPLAY		
3301	CLICK RAIL / CONTOUR RAIL / INFO RAIL	40 x 21 x 8 cm



DEMONSTRATION CASE		
5038	DEMONSTRATION CASE HANGING SYSTEMS	58 x 40 x 12 cm
5038A	SET 3 INLAYS INCLUDING SAMPLES	

BROCHURES

ARTICLE NO.	DESCRIPTION
2620	ARTITEQ PRODUCT CATALOGUE NL
2621	ARTITEQ PRODUCT CATALOGUE EN
2622	ARTITEQ PRODUCT CATALOGUE FR
2623	ARTITEQ PRODUCT CATALOGUE DE
2490	ARTITEQ FOR SCHOOLS NL
2491	ARTITEQ FOR SCHOOLS EN
2492	ARTITEQ FOR SCHOOLS FR
2493	ARTITEQ FOR SCHOOLS DE
2494	INTEGRATED PICTURE HANGING SYSTEMS NL
2495	INTEGRATED PICTURE HANGING SYSTEMS EN
2496	INTEGRATED PICTURE HANGING SYSTEMS FR
2497	INTEGRATED PICTURE HANGING SYSTEMS DE
1059	MINI CATALOGUE

ARTICLE NO.	DESCRIPTION
3746	BROCHURE ENJOY LIFE LOVE LIVING NL
3747	BROCHURE ENJOY LIFE LOVE LIVING EN
3748	BROCHURE ENJOY LIFE LOVE LIVING FR
3450	BROCHURE ENJOY LIFE LOVE LIVING DE
2602	BROCHURE IMAGINE IT NL
2603	BROCHURE IMAGINE IT EN
2605	BROCHURE IMAGINE IT FR
2606	BROCHURE IMAGINE IT DE



COMPACT  
SAFE  
FLEXIBLE

# INDEX

ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE
1015	34	3746	93	9.3394	23/49	9.4219	16/42	9.4310	29
1016	34	3747	93	9.4104	10/25	9.4235	17	9.4313	29
1059	93	3748	93	9.4105	10/25	9.4236	75	9.4314	29
2386	10	3750	93	9.4106	25	9.4237	21	9.4318	22
2387	11	4060	10	9.4107	10/25	9.4238	51	9.4319	22
2388	8	4061	10	9.4108	10/25	9.4239	51	9.4320	22
2389	21/23	4064	10	9.4113	10/25	9.4241	51	9.4321	22
2390	29	4065	10	9.4119	25	9.4244	21	9.4323	29
2390	29	4066	11	9.4120	11/25	9.4246	51	9.4324	29
2490	93	4067	11	9.4121	11/25	9.4247	51	9.4326	29
2491	93	4068	29	9.4122	11/25	9.4248	51	9.4327	29
2492	93	4069	29	9.4123	11/25	9.4253	23	9.4339	10
2493	93	4070	29	9.4124	11/25	9.4255	23	9.4340	10
2494	93	4071	22	9.4151	21	9.4256	23	9.4341	10
2495	93	4071	22	9.4152	21	9.4261	16/42	9.4342	10
2496	93	4072	22	9.4153	21	9.4262	16/42	9.4343	10
2497	93	4072	22	9.4155	21	9.4271	23	9.4346	10
2563	28	4073	11	9.4161	21	9.4272	23	9.4348	10/90
2602	93	4074	11	9.4162	21	9.4273	23	9.4349	10
2603	93	4075	29	9.4163	21	9.4274	23	9.4350	10
2605	93	4076	29	9.4165	21	9.4277	23	9.4351	10
2606	93	4077	29	9.4170	21	9.4278	23	9.4353	10
2620	93	4078	22	9.4171	21	9.4279	23	9.4354	10
2621	93	4078	22	9.4188	63	9.4280	23	9.4357	21
2622	93	4079	22	9.4196	15/41	9.4290	23	9.4358	21
2623	93	4079	22	9.4198	15/41/63	9.4291	23	9.4360	10
2639	76	4098	28	9.4205	16/42	9.4293	23	9.4362	29
3199	90	4099	28	9.4207	16/42	9.4303	10	9.4367	29
3250	93	5028	93	9.4208	16/42	9.4304	10	9.4378	29
3252	93	5038	92	9.4209	16/42	9.4305	21	9.4379	29
3254	93	5092	76	9.4211	82	9.4306	21	9.4390	21
3255	93	5093	76	9.4216	21	9.4307	21	9.4391	21
3290	90	05.6110	59	9.4217	21	9.4308	21	9.4400	17
3301	92	9.3390	23	9.4218	18/44	9.4309	29	9.4402	17

# INDEX

ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE
9.4404	82	9.4931	8/10/11/25/ 28/34/76	9.6674	17/43	05.08410	39	05.55025	68
9.4412	51	9.4955	82	9.7051	90	05.08420	38	05.55050	68
9.4413	51	9.4975	51	9.7053	90	05.08420	38	05.55100	68
9.4414	51	9.4976	51	9.7055	90	05.08430	39	05.55200	68
9.4415	51	9.4977	51	9.7058	90	05.08430	39	05.55300	68
9.4416	51	9.4978	51	9.7075	90	05.09099	55/57	05.56100	68
9.4424	21/50	9.4979	51	9.7076	90	05.09133	55/57	05.56200	68
9.4425	21/50	9.4990	82	9.7082	90	05.09166	55/57	05.60100	59
9.4426	21/50	9.5522	80	9.7083	90	05.10099	55/57	05.60200	59
9.4427	21/50	9.5621	86	9.7090	88/89	05.10133	55/57	05.61200	59
9.4428	21/50	9.5622	82/87	9.7091	88/89	05.10166	55/57	05.75100	34
9.4430	82	9.5623	87	9.7092	88/89	05.13099	58	05.75110	34
9.4431	82	9.5627	86	9.7093	88/89	05.13133	58	05.75126	34
9.4500	51	9.5628	87	9.7094	88/89	05.13166	58	05.75213	34
9.4503	50/51	9.5629	86	9.7130	88/89	05.14010	58	805.249	80
9.4504	50/51	9.5630	87	9.7131	88/89	05.14099	58	807.025	83
9.4506	50/51	9.5730	92	9.7140	88	05.14133	58	808.130	83
9.4510	18/44	9.5731	92	9.7141	88	05.14166	58	808.600	83
9.4540	51	9.5732	92	9.7161	93	05.15010	76	808.650	83
9.4541	51	9.5733	92	9.7162	90/93	05.15020	76	808.720	83
9.4550	71	9.5735	92	9.7163	93	05.15030	76	809.001	83
9.4900	29	9.5737	92	9.7164	93	05.15200	76	809.045	83
9.4901	21/23/25	9.5739	92	9.9004	17	05.15201	76	809.070	83
9.4902	21/23/25	9.5740	92	05.05320	11	05.15202	76	809.100	83
9.4903	29	9.5741	92	05.05330	11	05.47100	68	809.200	83
9.4904	82	9.5742	92	05.05420	11	05.47150	68	08.23100	15
9.4905	82	9.5743	92	05.05430	11	05.47160	68	08.23150	15
9.4909	25	9.5745	92	05.06020	28	05.47170	68	08.23200	15
9.4911	82	9.5746	92	05.06200	28	05.47200	68	08.23250	15
9.4912	29	9.5747	92	05.06300	28	05.54025	68	08.23300	15
9.4913	29	9.6645	17	05.07310	36	05.54050	68	08.23500	15
9.4928	25	9.6670	17/43	05.08310	36	05.54100	68	08.43100	15
9.4929	8/10/11/25/ 28/34/49/76	9.6671	17/43	05.08320	37	05.54200	68	08.43150	15
9.4930	16/21/49	9.6672	17/43	05.08400	38	05.54300	68	08.43200	15

ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE
08.43250	15	30.31220	8/9/25	7410.002	51	7508.025	72	7805.052	76
08.43300	15	30.31310	8	7410.003	51	7510.001	72	7805.055	80
08.43500	15	30.31320	8	7410.004	51	7510.002	72	7806.140	76/77
09.13100	15/41	30.31330	8	7420.001	85	7510.003	72	7806.150	77
09.13150	15/41	30.31340	8	7420.002	85	7510.004	72	7820.200	55/57
09.13200	15/41	30.41100	16/42	7420.003	85	7510.005	72	7820.200	55/57
09.13250	15/41	30.41200	16/42	7420.004	85	7510.006	72	7820.210	55/57
09.13300	15/41	30.41250	16/42	7430.001	71	7510.007	72	7820.220	55/57
09.23100	15/41	30.42100	17/43	7430.002	68	7510.008	72	7820.400	61
09.23150	15/41	30.42150	17/43	7430.010	19/45	7510.009	72	7830.401	61
09.23200	15/41	30.42200	17/43	7430.020	19/45	7510.010	72	7840.100	74
09.23250	15/41	40.11200	12	7450.010	79	7510.011	72	7840.150	49
09.23300	15/41	40.11300	12	7450.100	79	7510.012	72	7840.220	48
09.23500	15/41	40.21200	12	7507.010	73	7510.013	72	7840.240	48
09.33100	15/41	40.21500	12	7507.011	73	7512.001	72	7840.300	76
09.33150	15/41	40.21700	12	7507.012	73	7512.002	72	7840.310	76
09.33200	15/41	40.31300	12	7507.013	73	7512.003	72	7840.320	76
09.33250	15/41	40.31500	12	7507.014	73	7803.211	61/63	7840.330	76
09.33300	15/41	40.32060	12	7507.015	73	7803.211	61/63	7870.003	65
09.33500	15/41	40.32100	12	7507.016	73	7803.212	61/63	7870.004	65
09.63150	15/41	40.32300	12	7507.017	73	7803.301	61/63	7870.006	65
09.63200	15/41	40.41306	12	7508.010	72	7803.302	61/63	7870.100	65
09.63300	15/41	40.41308	12	7508.011	72	7804.210	57/59	3290C	90
30.11200	8/9	7020.015	75	7508.012	72	7804.220	57/59	3291C	88
30.11201	8/9	7020.021	75	7508.013	72	7804.310	57/59	5038A	92
30.11300	8/9	7025.030	75	7508.014	72	7804.320	57/59	9.4421S	82
30.11301	8/9	7025.042	75	7508.015	72	7805.001	61/63		
30.21150	15/41	7032.050	75	7508.016	72	7805.002	61/63		
30.21200	15/41	7032.060	75	7508.017	72	7805.003	61/63		
30.21300	15/41	7032.070	75	7508.018	72	7805.005	61/63		
30.22150	15/41	7032.084	75	7508.019	72	7805.007	19/45		
30.22200	15/41	7350.050	75	7508.020	72	7805.014	19/45		
30.22300	15/41	7350.070	75	7508.021	72	7805.016	19/45		
30.31110	8/9/25	7350.100	75	7508.022	72	7805.030	49		
30.31180	9	7350.120	75	7508.023	72	7805.040	49		
30.31210	8/9/25	7410.001	51	7508.024	72	7805.042	48		

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

ARTITEQ  
HERASTRAAT 39  
5047 TX TILBURG  
THE NETHERLANDS  
T +31 (0)13 572 90 70  
F +31 (0)13 572 90 75  
INFO@ARTITEQ.COM  
WWW.ARTITEQ.COM

